

SULBRIMO Capsule 200mg

Sulbutiamine 200mg

What is in this leaflet

1. What SULBRIMO is used for
2. How SULBRIMO works
3. Before you use SULBRIMO
4. How to use SULBRIMO
5. While you are using it
6. Side effects
7. Storage and Disposal of SULBRIMO
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What SULBRIMO is used for

SULBRIMO is used for treatment of all form of asthenia (Abnormal body weakness)

How SULBRIMO works

Sulbutiamine is a thiamine derivative. Sulbutiamine crosses the blood brain barrier more easily than vitamin B1 because of its lipophilic properties. This leads to an increased formation of thiamine triphosphate that acts as a regulator of the synaptic transmission of many neurotransmission systems. It gives better physical resistance, improved intellectual performance and psychological balance.

Before you use SULBRIMO

- When you must not use it
Do not take SULBRIMO if:

- You are allergic (hypersensitive) to Sulbutiamine or any of the other ingredients.

If you are pregnant, trying to get pregnant or think you may be pregnant, consult your doctor before taking this medicine.

If you are breastfeeding, consult your doctor before taking this medicine.

- Before you start to use it
You must consult a doctor or pharmacist if you:

- Allergic (hypersensitivity) to Sulbutiamine or other ingredients in this product.

- Taking other medicines
Consult a doctor or pharmacist if you are taking:

- Loop diuretics medicines such as furosemide, ethacrynic acid and bumetanide.
- Intake of thiamine with foods that contain sulfites.
- Intake of thiamine with tea, coffee and decaffeinated coffee.

How to use SULBRIMO

- How much to use
Follow all directions given in the insert carefully. They may differ from the information contained in this leaflet. If you do not understand the instructions on the label, ask your doctor or pharmacist for help.

2 to 3 capsules daily. Duration of treatment is limited to 4 weeks. For adult use only.

- When to use it
Use as directed as in this leaflet.

- How long to use it
As per the dosage recommendation

- If you forget to use it
Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor or pharmacist for advice immediately.

Signs and symptoms included nervous excitement (agitation) with intense feelings of well-being (euphoria) and tremor in the extremities.

While you are using it

- Things you must do
Take your dose exactly as given in the leaflet.

Tell all the doctors, dentists and pharmacists that are treating you that you are taking SULBRIMO.

Consult a doctor immediately if you are become pregnant while taking this medication.

- Things you must not do
Do not give SULBRIMO to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of
Driving and using machines

This product does not affect your ability to drive or use machines.

Side effects

Like all medicines, SULBRIMO can cause side effects, although not everybody gets them.

The side effects are:

- Mild nervous excitement (agitation) in elderly person.
- Allergic skin reaction
- Unpleasant smell of urine.

Visit your doctor or pharmacist immediately if you experience

SULBRIMO Capsule 200mg

Sulbutiamine 200mg

any side effects after taking this SULBRIMO.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website portal.bpfk.gov.my (Consumers → Reporting).

Product Registration Holder

Live-well Nutraceuticals Sdn.Bhd.
22-1, Jalan PJU 5/20D, The Strand, 47810 Kota Damansara, Selangor, Malaysia.

Date of Revision

28/11/2017

Serial Number

BPFK (RX/X)XXXX/XXXX

Storage and Disposal of SULBRIMO

- *Storage*

Store in a dry place below 30°C. Protect from light and moisture.

- *Disposal*

Products should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of SULBRIMO that is no longer required. These measures will help to protect the environment.

Product Description

- *What it looks like*

Two pieces, size '0' maroon color hard vegetable capsule contain white color powder.

- *Ingredients*

- Active ingredient(s)
Sulbutiamine

- Inactive ingredients

Sodium Starch Glycolate
Corn Starch
Colloidal Silicon Dioxide
Microcrystalline Cellulose
Magnesium Stearate

- *MAL number(s):*

SULBRIMO Capsule 200mg:
MAL

Manufacturer

Pahang Pharmacy Sdn.Bhd.
Lot 5979, Jalan Teratai, 5 ½ Miles Off, Jalan Meru,
41050 Klang, Selangor,
Malaysia.