

MSA PYRIDOXINE HCL 10MG TABLET

MAL

DESCRIPTION:

TABLET

Colour : White

Shape : Round, flat and scored

Size : Diameter (6.3 ± 0.2) mm and thickness (3.2 mm ± 10%).

Coating : Uncoated

CONTENT:

Each tablet contain

Pyridoxine HCl 10 mg

Providing 8.27mg of Pyridoxine (Vitamin B6)

INDICATION:

As a health Supplement

RECOMMENDED DOSE:

Adult and Children over 12 years : Take 1-2 tablet once daily with meal or as directed by doctor or pharmacist.
Swallow the tablet with a glass of water.

ROUTE OF ADMINISTRATION:

FOR ORAL USE ONLY

DRUG INTERACTIONS:

Pyridoxine reduces the effects of levodopa, but this does not occur if a dopa decarboxylase inhibitor is also given.

Pyridoxine reduces the activity of altretamine and decrease serum concentrations of phenobarbital and phenytoin.

SIDE EFFECT

Dose up to about 500mg daily and prolonged use with lower dose about 200mg daily or less have been reported to cause Sensory Peripheral Neuropathy.

STORAGE CONDITION:

Store below 30°C

Protect from light and moisture

WARNING AND PRECAUTIONS:

Keep out of reach of children

Jauhi daripada kanak-kanak.

PACKING / PACK SIZE:

Blister pack of 100 x 10's

PRODUCT REGISTRATION HOLDER:

M.S. ALLY PHARMA SDN BHD 199901003978 (478878-U)

Bangunan M.S. Ally

No.16, Jalan Tun Tan Siew Sin,

50050 Kuala Lumpur,

Wilayah Persekutuan Kuala Lumpur, MALAYSIA

MANUFACTURER:

DYNAPHARM (M) SDN. BHD. 198001011897 (65683-V)

2497, Mk. 1, Lorong Perusahaan Baru 5,

Kawasan Perusahaan Perai 3,

13600 Perai, Pulau Pinang, MALAYSIA

Revision : October 2022