

DIFFLAMAB SORE THROAT LOZENGES (BLACKCURRANT)

2,4-Dichlorobenzyl Alcohol 1.2mg / Amylmetacresol 0.6mg

What is in this leaflet

1. What DifflamAB Sore Throat Lozenges (Blackcurrant) is used for
2. How DifflamAB Sore Throat Lozenges (Blackcurrant) works
3. Before you use DifflamAB Sore Throat Lozenges (Blackcurrant)
4. How to use DifflamAB Sore Throat Lozenges (Blackcurrant)
5. While you are using it
6. Side effects
7. Storage and disposal of DifflamAB Sore Throat Lozenges (Blackcurrant)
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

What DifflamAB Sore Throat Lozenges (Blackcurrant) is used for

DifflamAB Sore Throat Lozenges (Blackcurrant) is used for symptomatic relief of mouth and throat infections

How DifflamAB Sore Throat Lozenges (Blackcurrant) works

DifflamAB Sore Throat Lozenges (Blackcurrant) contains the active ingredients 2,4-Dichlorobenzyl alcohol and Amylmetacresol that are antiseptics. These two active ingredients exert an antibacterial, antifungal and antiviral properties.

Before you use DifflamAB Sore Throat Lozenges (Blackcurrant)

When you must not use it

Do not take this medicine if you are hypersensitive to any of the ingredients in this product.

This medicine is not to be used in children below 6 years of age.

Please do not take this medicine if you have a rare hereditary condition called glucose-galactose malabsorption or sucrose isomaltose insufficiency. If

you are unsure about this, kindly ask your doctor or pharmacist for advice.

Before you start to use it

Please read all instructions carefully before using this product. Full details are available in the package insert of this product. If you are unsure about any information, kindly seek advice from your doctor or pharmacist before use.

Taking other medicines

It is not known if this medicine interacts significantly with other medications. However, if you are currently on any medication, whether it is bought over the counter, without a prescription from the pharmacy or from a health food store, please consult your doctor or pharmacist before use.

How to use DifflamAB Sore Throat Lozenges (Blackcurrant)

How much to use

Please follow instructions carefully as stated in the product's package insert. If you are unsure, kindly seek advice from your doctor or pharmacist.

The usual dose for adults and children (over 6 years old) is one lozenge, sucked slowly every 2 to 3 hours. You may take up to maximum of 12 lozenges only in one day.

When to use it

Use as directed by your doctor or pharmacist.

How long to use it

Use this medicine as directed. If your symptoms persist, have not improved or have worsened after 3 days, please consult your doctor or pharmacist for advice.

If you forget to use it

Consult your doctor or pharmacist on what you should do if you forget to use it.

Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

Gastrointestinal discomfort is a symptom of overdosage of this medicine.

While you are using it

Things you must do

Take this medicine exactly as instructed.

Tell all the doctors, dentists and pharmacists treating you that you are taking DifflamAB Sore Throat Lozenges (Blackcurrant).

Things you must not do

Do not take any new medicines without consulting your doctor or pharmacist.

Do not give DifflamAB Sore Throat Lozenges (Blackcurrant) to anyone else, even if they have the same symptoms or condition as you.

Things to be careful of**Driving and using machines:**

This medicine has no or negligible influence on the ability to drive or use machines.

Pregnancy and lactation:

There are no or limited amount of data available for the use of this product in pregnant or breastfeeding women. Please seek professional medical advice before you take this medicine if you are pregnant or breastfeeding.

Side effects

Like all medicines, DifflamAB Sore Throat Lozenges (Blackcurrant) can cause side effects, although not everybody gets them.

Visit your doctor or pharmacist immediately if you experience any side effects after taking this medicine.

Side effects commonly observed while taking this medicine are hypersensitivity reactions (if you are allergic to any of the ingredients in this medication), glossodynia (burning sensation of the mouth, especially the tongue) and oral discomfort.

You may report any side effects or adverse drug reactions directly to the National Center for Adverse Drug Reaction Monitoring by calling Tel: 03-78835490, or visiting the website npa.gov.my [Consumers > Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and disposal of DifflamAB Sore Throat Lozenges (Blackcurrant)**Storage**

Store below 30°C, in a dry place.

Disposal

Medicines should not be disposed of via wastewater or household waste.

Ask your pharmacist how to dispose of medicines no longer required. These

measures will help protect the environment.

Product description**What it looks like**

Violet coloured, round, biconvex, lozenges having blackcurrant flavour with sweet taste.

Ingredients

- Active ingredients

Each lozenge contains:

- 2,4-Dichlorobenzyl Alcohol 1.2mg
- Amylmetacresol 0.6mg

- Inactive ingredients

- Sucrose
- Liquid glucose
- Citric acid monohydrate
- Purified water
- Mentha oil
- Blackcurrant flavour
- Colour Carmoisine
- Colour Brilliant blue

MAL Number

MAL18126011X

Manufacturer

Unique Pharmaceutical Laboratories
(A Division of J.B.Chemicals & Pharmaceuticals Ltd.)
Survey Number 101/2 and 102/1,
Daman Industrial Estate,
Airport Road, Kadaiya, Daman,
396210, India.

Product Registration Holder

iNova Pharmaceuticals (Singapore) Pte
Ltd (Incorporated in Singapore)
Malaysia Branch
5F-2, 5th Floor,
Tower 2, @ PFCC,
Jalan Puteri 1/2, Bandar Puteri,
47100 Puchong,
Selangor, Malaysia

Date of revision

11 / 03 / 2025

Serial Number

NPRA(R2/1)190809/219