

Read the package leaflet before use.

DOSAGE AND ADMINISTRATION

For oral administration.

For infants aged 1-24 months.

For infant 1-12 months: Please seek medical advice before taking the product.

The dosage and mixing instructions depend on the weight of your child and the feeding method you use:

Infants under 4.5kg (10lb) – one sachet

Infants over 4.5kg (10lb) – two sachets

Each sachet is security sealed.

Do not use if damaged.

Do not store above 30°C.

Keep medicine out of reach of children.

Jauhi dari kanak-kanak.

High in sodium:

see leaflet for further information.

Also contains Mannitol and Silica colloidal.

Product Registration Holder:

RB (Health) Malaysia Sdn Bhd., Level 17, Menara 1 Sentrum,
No 201, Jalan Tun Sambanthan, 50470 Kuala Lumpur, Malaysia.
Careline Number: 1800-888-889

Marketed by:

Reckitt Benckiser (Singapore) Pte. Ltd., 12 Marina Boulevard
#19-01, Marina Bay Financial Centre, Tower 3, Singapore 018982.
Careline Number: 1800-875-0770

Manufacturer by:

Reckitt Benckiser Healthcare (UK) Limited, 8RLXXXXXXXXNP
Dansom Lane, Hull, HU8 7DS, United Kingdom. **3022517/1**

GAVISCON

Infant

225mg and 87.5mg
Powder for Oral Suspension
Sodium alginate
and magnesium alginate
Regurgitation and gastric reflux

ONE SACHET

BN
MFG
EXP

CUT HERE

Last update : 30 Oct 2019