LABEL

L001

KEYLINE VERSION:
A / 22.01.2024

DIMENSIONS **(SCALE 100 %)**:
155 x 37 ± 1 mm

SITE:
LEÓN FARMA

CHEMO
Global Affinity in Healthcare

MATERIAL INFORMATION

CAUSE:
LAUNCH ( ) **CUSTOMER CHANGE** ( ) **INTERNAL CHANGE** ( ) **MOCKUP**

MATERIAL CODE: **900762-01 ET DUTA/TAMSU DUOF0,5-0,4 30BO INTEGA MY**

VERSION: **A** DATE: **17.07.24** PREVIOUS CODE: ************

LAETUS: **51058** OBSERVATIONS: ************

51058

TECHNICAL SPECIFICATIONS

PANTONES: ONLY A MAX. OF 6 PRINTING COLORS / PLEASE, INDICATE BELOW THE COLOURS TO BE USED

PRINTING COLOURS

C M Y K

TECHNICAL COLOURS (NO PRINTING COLOURS)

DIE CUT | FREE TXT AREA | SECURITY MARGINS

OTHER FINISH (IF NOT SPECIFY): _____

APPROVAL

DRAWED BY: (CHEMO ARTWORK TECHNICIAN) **Marta Arroquia**

APPROVED BY CUSTOMER :
(REGULATORY AFFAIR OR QUALITY ASSURANCE) / SIGNATURE & DATE

With the signed proof of this file you commit to have had reviewed and agreed with the following points as part of your review:

- Keyline used / Free varnish areas / Colors / Text.
- Prefixes order for variable info (If the order is changed you commint to clearly comunicate this change to Chemo's artworks department, otherwise Chemo will not be responsible).
- Any other info included in the file.

Customer shall be responsible for the contents of the approved artworks, text and colours of the printed material reflected in this drawing. Therefore, Customer shall bear any and all cost and/or expense, and it shall keep León Farma harmless from any claim, cost and/or expenses, related to the correctness and accuracy of such information.

PLEASE, DON'T DELETE ANY LAYERS FOR THE CORRECT REVISION
PLEASE, MAKE SURE THE IMAGES HAVE A RESOLUTION AT LEAST 300 PP

