GELIGA BALM CAP KRIS

Methyl Salicylate 50%w/w, Menthol 5%w/w, Camphor 5%w/w

What is in this leaflet

1. What Geliga Balm is used for
2. How Geliga Balm works
3. Before you use Geliga Balm
4. How to use Geliga Balm
5. While you are using it
6. Side effects
7. Storage and Disposal of Geliga Balm
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision
11. Serial Number

What Geliga Balm is used for

It provides symptomatic relief for mild to moderate muscular and joint aches and pains, muscle cramps, shoulder aches and stiff neck.

How Geliga Balm works

Methyl salicylate, menthol and camphor are external analgesics which stimulate sensation of warmth and/ or cold. This produces a counter irritant response which provides temporary relief of minor aches and pains of muscles and joints associated with backache, arthritis, strains and sprains.

Before you use Geliga Balm

- When you must not use it

Do not use it if you are allergic to any ingredients of this Geliga Balm.

- Before you start to use it

Initially apply a small amount to a limited skin area and observe whether there is discomfort or itch before applying to a larger skin area. Discontinue use if irritation develops.

Please follow the advice of the doctor or pharmacist.

- Taking other medicines

Please inform the doctor or pharmacist if taking other medicines.

For patients taking warfarin, excessive application on to the skin for muscle or joint pains may increase the chances of bleeding.

How to use Geliga Balm

- How much to use

Rub on affected area 2 to 3 times a day. For external use only. Not to be taken.

Follow all directions given to you by your doctor and pharmacist carefully. They may differ from the information contained in this leaflet. If you do not understand the instructions on the label, ask your doctor or pharmacist for help.

- When to use it

Please follow the advice of the doctor or pharmacist.

- How long to use it

Please follow the advice of the doctor or pharmacist.

- If you forget to use it

Continue to use it as directed by your doctor or on the package label.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital if you think you or anyone else may have taken too much of this medicine.

Symptoms include headache, dizziness, nausea and vomiting, skin irritation, contact dermatitis, rash, itching, redness or swelling, burning or stinging sensation, may controlled by reducing the dosage.

While you are using Geliga Balm

- Things you must do

Inform your doctor or pharmacist of all the medications you are taking.

- Things you must not do

Do not take any new medicines without consulting your doctor.

- Things to be careful of

Avoid contact with the eyes and mucous membrane. Do not apply to open wounds or damaged skin. Avoid excessive use during pregnancy and lactation. Do not apply over large areas of the body or bandage or use with heating pads.

Ask your health care provider any question you may have about how to use Geliga Balm.

Side effects

Headache, dizziness, nausea and vomiting, skin irritation, contact dermatitis, rash, itching, redness or swelling, burning or stinging sensation may occur.
May cause hypersensitivity/ allergic reactions in some individuals with sensitive skin.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835549, or visiting the website npra.moh.gov.my [Public →Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Geliga Balm

- Storage

Store below 30ºC. Away from direct sunlight. Keep out of reach of children.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

White colour ointment with characteristic smell.

- Ingredients

- Active ingredients
  Menthol, camphor, methyl salicylate

- Inactive ingredients
  Clove oil, turpentine oil, white soft paraffin, hard paraffin

- MAL number:

MAL20016152XC

Manufacturer

Syarikat Wen Ken Drug Sdn Bhd
24, Jalan Lambak, Taman Johor, 81200 Johor Bahru, Johor, Malaysia.

Product Registration Holder

Syarikat MYP Sdn Bhd
9-9A, Jalan Petaling, Larkin Industrial Area, 80350 Johor Bahru, Johor, Malaysia.

Date of revision

6/12/2019

Serial Number

NPRA (R2) 19/188