

GAVELOX ANTACID TABLET (DOUBLE STRENGTH)

Dried aluminium hydroxide / magnesium hydroxide / simethicone (400mg / 400mg / 40mg)

What is in the leaflet

1. What GaVelox Antacid Tablet is used for
2. How GaVelox Antacid Tablet works
3. Before you use GaVelox Antacid Tablet
4. How to take GaVelox Antacid Tablet
5. While you are using it
6. Side Effects
7. Storage and Disposal of GaVelox Antacid Tablet
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What GaVelox Antacid Tablet is used for

GaVelox Antacid is used for the relief of pains and discomforts of heartburn, indigestion and acid reflux. It also helps to relieve bowel and stomach conditions caused by excessive gas.

How GaVelox Antacid Tablet works

GaVelox Antacid reacts rapidly to reduce gastric acidity by neutralizing secreted gastric acid. It also allows mucus-surrounded gas bubbles in the bowel tract to coalesce and be expelled.

Before you use GaVelox Antacid Tablet

- When you must not take it

Do not take this product if you are allergic (hypersensitivity) to aluminium hydroxide, magnesium hydroxide or simethicone.

Do not take if you severely debilitated or suffering from kidney failure.

- Before you start to use it

This product is unsuitable for phenylketonurics.

This product should use with caution in patients with renal insufficiency.

- Taking other medicines

May interfere with or reduce the absorption of anticholinergic agents, barbiturates, digoxin, quinidine, warfarin and vitamins.

How to take GaVelox Antacid Tablet

- How much to take

Adults and children above 12 years:

Chew 1 to 2 tablets 4 times a day.

Chew well before swallowing.

- When to take it

Preferably take ½ hour before meals or 2 hours after meals and at bedtime or as directed by doctor.

- How long to take it

Take as directed by your doctor or pharmacist.

- If you forget to take it

If you forget to take GaVelox Antacid Tablet, take it as soon as you remember. Never double up on the next dose to make up for the one missed.

- If you take too much (overdose)

Symptoms of overdose may include gastrointestinal irritation, diarrhoea and constipation. Severe poisoning may produce hypermagnesaemia (too much magnesium in the blood).

You should tell your doctor at once or contact the nearest accident and emergency department if you accidentally take too much GaVelox Antacid Tablet

While you are using GaVelox Antacid Tablet

- Things you must do

Check with your doctor if symptoms persist or getting worse.

- Things you must not do

Do not take this product to treat any other conditions unless it has been prescribed by your doctor.

- Things to be careful of

This product should use with caution in patients with renal insufficiency.

Side Effects

Antacids may occasionally cause constipation, diarrhoea, nausea and vomiting.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npdra.gov.my [Consumers → Consumer Reporting of Side Effects to Medicines or Vaccines].

Storage and Disposal of GaVelox Antacid Tablet

- Storage

- Store below 30°C.
- Protect from light and moisture.
- Keep out of reach of children.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

White coloured, round and flat chewable tablet with cool mint flavour. Source of lactose is bovine.

- Ingredient

- Active ingredients

Dried aluminium hydroxide 400mg, magnesium hydroxide 400mg, simethicone 40mg.

- Inactive ingredients

Povidone K30, lactose hydrous, microcrystalline cellulose, sodium starch glycolate, colloidal silicon dioxide, copovidone, precipitated silicon dioxide, aspartame, peppermint oil, aniseed oil, tutti frutti flavour, magnesium stearate.

- MAL Number:

MAL00000000XC

Manufacturer

WINWA MEDICAL SDN BHD
1952, Lorong I.K.S. Bukit Minyak 3,
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

Product Registration Holder

AETOS PHARMA SDN. BHD.
No.66B, Tingkat 2, Jalan Cerdas, Taman
Connaught, 56000 Kuala Lumpur,
Malaysia.

Date of revision

26/06/2024

Serial Number:

NPRA (R2) 24/059