

# T-DERM ONCE ANTIFUNGAL SPRAY 1%

## W/V

Terbinafine Hydrochloride (1% w/v)

### What is in this leaflet

1. What T-Derm ONCE Antifungal Spray 1% w/v is used for
2. How T-Derm ONCE Antifungal Spray 1% w/v works
3. Before you use T-Derm ONCE Antifungal Spray 1% w/v
4. How to use T-Derm ONCE Antifungal Spray 1% w/v
5. While you are using it
6. Side effects
7. Storage and Disposal of T-Derm ONCE Antifungal Spray 1% w/v
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

### What T-Derm ONCE Antifungal Spray 1% w/v is used for

It is used for the treatment of fungal skin infections such as athlete's foot (tinea pedis), jock itch (tinea cruris), ringworm (tinea corporis), pityriasis versicolor (tinea versicolor) and cutaneous candidiasis.

### How T-Derm ONCE Antifungal Spray 1% w/v works

Terbinafine is an allylamine which has a broad spectrum of antifungal activity in fungal infections of the skin. Its action being fungicidal against dermatophytes, moulds and certain dimorphous fungi. It has a fungicidal or fungistatic action on yeasts depending on the species involved.

### Before you use T-Derm ONCE Antifungal Spray 1% w/v

#### -When you must not use it

Do not use it if you are allergic to any ingredients of T-Derm ONCE Antifungal Spray 1% w/v.

T-Derm ONCE Antifungal Spray 1% w/v is not recommended for pregnant and breast-feeding women.

#### -Before you start to use it

Please consult your doctor or pharmacist before using this product if you have any medical conditions.

#### *Pregnancy and lactation*

Please consult your doctor or pharmacist if you are pregnant, planning for pregnancy or breastfeeding before

using any medicine.

Unless the potential benefits outweigh any potential risks, it should not be administered during pregnancy. Terbinafine is excreted in breast milk and although the amount involved is small, mothers should not receive it whilst breast-feeding. Infants should also not be allowed to come into contact with any treated skin, including the breast.

#### -Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

### How to use T-Derm ONCE Antifungal Spray 1% w/v

#### -How much to use

If T-Derm ONCE Antifungal Spray 1% w/v has been prescribed for you by your doctor, follow any instructions he/she may have given you.

If you purchased this product without a prescription, follow these directions closely:

- Before use, shake well by inverting the bottle.
- Wash and dry affected area. Spray sparingly to the affected parts and surrounding skin areas once daily.

#### -When to use it

Once daily for one week after wash and dry affected area. Regular applications are essential for successful treatment.

#### -How long to use it

The treatment should be continued for at least 2 weeks even after the disappearance of all signs of infection to prevent re-infection. Consult doctor if no improvement is seen in 4 weeks.

#### -If you forget to use it

Use it as soon as you remember. If you only remember at the time of the next application, just apply the usual amount and skip the missed dose.

Do not apply a double dose to make up for a missed dose.

#### -If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital if you think you or anyone else may have used too much of this medicine.

If you accidentally ingested a large amount of this medicine, symptoms may include headache, nausea, vomiting, epigastric pain and dizziness.

In case of accidental oral ingestion, gastric lavage and / or symptomatic supportive treatment should be performed as soon as possible.

### While you are using it

#### -Things you must do

Use your medicine exactly as your doctor or pharmacist has told you.

Tell your doctor immediately if you become pregnant while using this medicine.

#### -Things you must not do

Do not give this medicine to anyone else, even if they have the same symptoms or condition as you.

#### - Things to be careful of

For external use only. Avoid contact or use the medication in the eyes, nose, or mouth or inside the vagina. If you do get the medication in those areas, flush with plenty of water. Not to be taken orally.

### Side effects

Like all medicines, this medicine can cause side effects, although not everybody gets them.

Visit your doctor or pharmacist immediately if you experience any side effects after using this medicine.

Redness, itching or stinging may occur at the site of application.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse

# T-DERM ONCE ANTIFUNGAL SPRAY 1% W/V

Terbinafine Hydrochloride (1% w/v)

---

Drug Reaction Monitoring by visiting the website [npra.gov.my](http://npra.gov.my) [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

## **Storage and Disposal of T-Derm ONCE Antifungal Spray 1% w/v**

### -Storage

Store below 30°C. Keep out of reach of children.

### -Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

## **Product Description**

### -What it looks like

A clear colourless solution with characteristic odour.

### -Ingredients

-Active ingredient(s): Terbinafine Hydrochloride 1% w/v.

-Inactive ingredients:

Methylated Spirit (contains 57.24% v/v alcohol), Propylene Glycol, Fragrance and Purified Water.

### -MAL number:

MALXXXXXXXXX

## **Manufacturer**

Syarikat Wen Ken Drug Sdn Bhd  
24, Jalan Lambak, Taman Johor,  
81200 Johor Bahru,  
Johor, Malaysia.

## **Product Registration Holder**

Aetos Pharma Sdn. Bhd.  
66B, Tingkat 2, Jalan Cerdas, Taman  
Connaught, 56000 Kuala Lumpur,  
Malaysia.

## **Date of revision**

06/03/2026

## **Serial Number**

NPRA (R2) 26/022