

Salonpas®-HOT Patch

Glycol Salicylate 3.0% w/w, Capsicum Extract 0.28% w/w (Capsaicin 0.014% w/w)

What is in this leaflet

1. What Salonpas®-HOT Patch is used for
2. How Salonpas®-HOT Patch works
3. Before you use Salonpas®-HOT Patch
4. How to use Salonpas®-HOT Patch
5. While you are using it
6. Side effects
7. Storage and Disposal of Salonpas®-HOT Patch
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Salonpas®-HOT Patch is used for

This product is used for relief of aches and pains associated with Simple backache, Arthritis, Strains, Bruises, Sprains.

How Salonpas®-HOT Patch works

It contains two active ingredients which are glycol salicylate and capsicum extract. Capsicum extract contains a substance known as capsaicin. Glycol salicylate and capsaicin are topical pain relievers which distract you from feeling the aches/pains deeper in your muscles and joints.

Before you use Salonpas®-HOT Patch

- When you must not use it

Do not use:

- if you are allergic to glycol salicylate, capsaicin, aspirin or any other ingredient of this product (listed in Product Description).
- on wounds or damaged skin.
- with a heating pad
- on children under 2 years of age.

- Before you start to use it

Tell your doctor or pharmacist before use if you are allergic to external application products.

Pregnancy and lactation

Please consult your doctor or pharmacist if you are pregnant, planning for pregnancy or breast-feeding before using any medicine.

Breast-feeding women should avoid use around the chest area or any parts of the skin that may come into contact with the nursing child.

- Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

Since this product contains glycol salicylate, caution is advised if you are taking warfarin, a medicine to prevent blood clot (Excessive application may increase the chance of bleeding).

How to use Salonpas®-HOT Patch

For external use only.

- How much to use

Adults and children 12 years of age and over: Clean and dry affected area. Remove from backing film. Apply to affected area not more than 3 to 4 times daily.

Children 2 to 12 years of age: consult a doctor.

- When to use it

Use as directed by your doctor or pharmacist.

Remove from the skin after at most 8 hours application.

Avoid excessive use on large areas of the skin.

- How long to use it

Use this product for the duration that the doctor recommends.

- If you forget to use it

Apply the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to apply the medicine and skip the missed dose. Do not apply a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you or anyone else may have use too much of this product. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

Using too many patches may cause nausea and vomiting. Discontinue use, wash the application area thoroughly with clean water and consult your doctor or pharmacist.

While you are using it

- Things you must do

Tell all the doctors, dentists and pharmacists treating you that you are using this product.

Tell your doctor immediately if you become pregnant while using this product.

- Things you must not do

Do not use any new medicines without consulting your doctor or pharmacist.

Do not give this product to anyone else, even if they have the same symptoms or condition as you.

Discontinue use at least one hour before a bath or shower and do not use immediately after a bath or shower.

- Things to be careful of

Avoid contact with the eyes, mucous membranes (red areas of body parts for

example inside mouth) or on skin rashes.

If your condition worsens or the pain is still there after 7 days, or if the pain comes back within a few days, please see your doctor as soon as possible.

Side effects

Like all medicines, this product can cause side effects, although not everybody gets them.

Visit your doctor or pharmacist immediately if you experience any side effects after using this product.

Stop use and ask a doctor if skin reactions such as redness, itching, rash, excessive irritation, burning sensation, swelling or blistering occur.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of Salonpas®-HOT Patch

- Storage

Store below 30°C and in a dry place. Avoid direct sunlight.

Keep out of reach of children.

Package not child resistant.

If swallowed, get medical help immediately.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

This product is a plaster, which is composed of the white base cloth, pale yellow to light brown adhesive mass and liner, has small pores.

- Ingredients

- Active ingredients

Glycol Salicylate 3.0% w/w

Capsicum Extract 0.28% w/w

(Capsaicin 0.014% w/w)

- Inactive ingredients

Polyisobutylene, Polybutene, Raw rubber, Hydrogenated rosin glycerol ester, Maleated rosin glycerin ester, Zinc oxide, Hydrated silicon dioxide, Isopropyl myristate, Titanium oxide and Dibutylhydroxytoluene.

- MAL number:

MAL*****

Manufacturer

Hisamitsu Pharmaceutical Co., Inc.
408 Tashirodaikan-machi, Tosu, Saga,
Japan

Product Registration Holder

Hisamitsu Pharmaceutical Malaysia Sdn. Bhd.
Unit 18-7, Tower A, Vertical Business Suite Avenue 3, Bangsar South, No.8, Jalan Kerinchi, 59200 Kuala Lumpur, Malaysia

Date of revision

10/1/2025

Serial Number

NPRA (R2) 24/157