


In case of direct skin contact with LEDAGA in individuals other than the patients, wash abundantly with water and soap for 15 mins. Remove and wash contaminated clothing and contact your doctor. If non-affected areas of patients' skin exposed, patient should wash area with soap and water. The transparent sealable plastic bag supplied with LEDAGA to prevent secondary exposure and contaminations is child resistant. Do not throw away any medicinal product or nitrile gloves used for application and ask your pharmacist.


Patient and Caregiver instructions

LEDAGA®
Chlormethine 160 µg/g
Topical Gel



Apply LEDAGA immediately or within 30 min after taking it out of the refrigerator.

Unzip plastic bag , take LEDAGA out of carton and open tube. Before initial use , use cap to pierce seal. Do not use if seal is missing, damaged.



Patient



Apply a thin layer to completely dry skin at least 4 hrs before or 30 mins after showering or washing.

Caregivers must wear disposable nitrile gloves (to provide protection) before applying thin layer to completely dry skin. After application, remove gloves and turn inside out to avoid contact with LEDAGA.




Caregiver


Allow to gel dry (5-10 min) before covering with clothing. Do not use occlusive dressings. LEDAGA is flammable: Avoid contact with open flame or lit cigarette until product has dried. Do not use skin products for 2 hrs before and 2 hrs after application.



Immediately after application, wash hands with soap and water.



With clean hands, close the tube, return it to the carton and then into the transparent sealable plastic bag, and zip it close.



Return the transparent sealable plastic bag to the refrigerator. Keep away from children.



CLIENT: Juniper Biologics

PROJECT: Ledaga Patient Card SG

CODE:

LAETUS CODE:

EDITION: 01

DATE: 03/11/2022

DIMENSION: 101.6mm x 38.1mm

COLORS: ● Black ● Dark Blue C ● 513 C ● 652 C