

MENTHOMCOOL LOTION

Active Ingredients per 100g: Methyl Salicylate (10 %w/v), L-Menthol (3 %w/v), DL-Camphor (2.5%w/v)

What is in this leaflet

1. What Menthomcool Lotion is used for
2. How Menthomcool Lotion works
3. Before you use Menthomcool Lotion
4. How to use Menthomcool Lotion
5. While you are using it
6. Side effects
7. Storage and disposal of Menthomcool Lotion
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Menthomcool Lotion is used for

Menthomcool Lotion relieves muscular and rheumatic pains.

How Menthomcool Lotion works

Methyl Salicylate and Menthol help to reduce muscle pain, while Camphor increase local blood flow and act as a counterirritant, which reduces pain and swelling cause by irritation.

Before you use Menthomcool Lotion

- When you must not use it
 - If the surrounding area has an open wound, rash or contact dermatitis.
 - If you are known to be allergic (hypersensitive) to Salicylate or any other ingredients of Menthomcool Lotion.
 - If you are concurrently applying a bandage or heating element to the area.
- Before you start use it
You must tell your doctor if:
 - You have allergies to any medicine which you have taken previously to treat your current condition.
 - You are pregnant, planning to get pregnant or breast feeding.

- Product can cause convulsions.
Contraindicated in infants below 2 years of age. Caution must be exercised when older children are treated.

- Taking other medicines

- Caution is advised if you are receiving other medical treatment.
- Caution is advised if you are taking aspirin/warfarin. (Excessive application may increase the chance of bleeding).

How to use Menthomcool Lotion

Recommended for adults & children above 2 years old. For EXTERNAL APPLICATION ONLY.

- How much to apply
Apply to the affected area 1 – 4 times daily.
- If you forget to apply
There is not stipulated dosage regimen.
- If you apply too much (overdose)
Symptoms of systemic salicylate poisoning have been reported after the application of salicylates to large areas of skin or for prolonged periods. Salicylism may also occur in the unlikely event of large quantities being ingested.

Please seek doctor attention or admission to hospital if with any of above symptoms.

While you are using Menthomcool Lotion

- Thing you must do
Always wash your hands before and after you use the lotion.
- Things you must not do
Do not apply any other heating or warming devices on the area of application.

Do not let the lotion get into your eyes and mucous membranes.

- Things to be careful of
None

Side effects

Stop using it and consult pharmacist or doctor if you experience the following symptoms:

- Rash
- Redness (due to congestion)
- Itching

You may report side effect or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumer→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Menthomcool Lotion

- Storage
Storage at temperature below 30°C and keep container tightly closed.

Do not use Menthomcool Lotion after the expiry date stated on the label.

- Disposal
Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like
A white lotion containing suspended particles.

- Ingredients
 - Active ingredients
Methyl Salicylate.....10g
L-Menthol.....3.0g
DL-Camphor.....2.5g

 - Inactive ingredients
Light Mineral Oil,
Polysorbate 60, Sorbitan
Stearate, Trolamine, Lanolin
Oil, Carbomer 941, Water,
Methyl Paraben, Propyl
Paraben

- MAL Number
MAL25086035X

Manufacturer

Sinsin Pharmaceutical Co., Ltd
9, Sojeong-myeon, Sejong-si,
Republic of Korea (30002)

Product Registration Holder

The Zyfas Pharma Sdn. Bhd,
No. 15, Jalan Mega 1/5,
Taman Perindustrian Nusa
Cemerlang, 79200 Iskandar Puteri,
Johor, Malaysia.

Date of revision

14/08/2025

Serial Number

NPRA (R2) 25/103

