

LOT
MFD
EXP

Binozyt®
200 mg/5ml
Powder for oral suspension 200 mg/5ml
SANDOZ

Binozyt®
200 mg/5ml

Azithromycin

Powder for oral suspension 200 mg/5ml

15 ml oral suspension

SANDOZ

This product contains 7.4 g of sucrose per maximum dose (10 ml). This should be taken into account in patients with diabetes mellitus.

WARNING: Unsuitable for phenylketonurics.

Instruction:
Shake the dry powder loose.
Add the amount of water described below to the powder.
For 15ml bottle: add 8ml water.
Shake well until a homogenous suspension is achieved.


The prepared suspension can be kept at up to 30°C for 5 days.

Any unused suspension should be discarded after 5 days.

Store below 30°C. Store in original package. Application according to medical instruction. Read package insert before use.

Keep out of reach and sight of children.

Manufactured by:
Novartis Pharmaceuticals S.R.L.
Str. Livezeni nr, 7A
540472 Targu-Mures, Romania




Product Registration Holder:
Sandoz Products Malaysia Sdn. Bhd.
Unit 1202, Level 12, Uptown 1,
No. 1, Jalan SS 21/58,
Damansara Uptown,
47400 Petaling Jaya, Selangor, Malaysia

CONTROLLED MEDICINE
UBAT TERKAWAL

Jauhi ubat dari kanak-kanak

Composition
5 ml suspension cont.:
200 mg Azithromycin (as Azithromycin monohydrate 204.8 mg)
Excip. c.s.
approx 3.7 g sucrose
0.03 g aspartame

MAL09051572ACZ
BRU14111608P



Binozyt®
200 mg/5ml

Azithromycin

Powder for oral suspension 200 mg/5ml

15 ml oral suspension

For oral use

SANDOZ

Binozyt®
200 mg/5ml

Azithromycin

Powder for oral suspension 200 mg/5ml

