



ART: 1 DATE: 02/06/2025 CUSTOMER: BEIGENE			<input type="checkbox"/> APPROVED (Signature / Date)			NON PRINTING <input type="checkbox"/> Die <input type="checkbox"/> Varnish KO			SPOT INKS <input type="checkbox"/> 221 <input type="checkbox"/> 485 <input type="checkbox"/> 2380			SPECIAL FEATURES							
Nosco Description: 764685_Tevimbra_MY_CTN Eval#: A6372617 SIZE: 47mm x 44mm x 78.5mm DRWG: Customer CAD099 03/01/2024												COATING <input type="checkbox"/> Varnish							
<table border="1"> <thead> <tr> <th>Barcode Type</th> <th>Decoded Data</th> <th>Human Readable</th> </tr> </thead> <tbody> <tr> <td>Pharma code</td> <td>F:144 R:195</td> <td>FPO (prints twice)</td> </tr> <tr> <td>QR Code</td> <td>https://quest3plus.bpifk.gov.my/pmo2/detail.php?type=product&id=MAL25026010A</td> <td>FPO</td> </tr> </tbody> </table>		Barcode Type	Decoded Data	Human Readable	Pharma code	F:144 R:195	FPO (prints twice)	QR Code	https://quest3plus.bpifk.gov.my/pmo2/detail.php?type=product&id=MAL25026010A	FPO	<input checked="" type="checkbox"/> Black			PROCESS INKS					
Barcode Type	Decoded Data	Human Readable																	
Pharma code	F:144 R:195	FPO (prints twice)																	
QR Code	https://quest3plus.bpifk.gov.my/pmo2/detail.php?type=product&id=MAL25026010A	FPO																	

* CAUTION Artwork cycles are NOT proofread. Please, proofread BEFORE authorizing Nosco to proceed to final proofing. This ART is to show size, copy placement and color breaks. Actual colors will be matched on press to approved color standards and/or PMS color swatches. *Customer Logo's, Brand/Drug names with Superscripts/Subscripts with ®s and TM's is to be a minimum 1/32 high for the TM and bold, and for the ® 1/32 in circumference and bold. Any deviation to this will be printed as is. Nosco Glue Flap Barcode: is for internal Quality Control Purposes Only and any element in Die color Does NOT Print.