


Reading direction  
pharma code  
(587)



RECORDATI  
RARE DISEASES

# Signifor® LAR 60 mg

# Pasireotide / Pasiréotide / Pasireotida

Powder and solvent for suspension for injection/  
Poudre et solvant pour suspension injectable/  
Polvo y disolvente para suspensión inyectable

Unit pack / Boite / Envase unitario

1 vial of powder, 1 pre-filled syringe with 2 ml solvent,  
1 safety-engineered needle, 1 vial adapter

1 flacon de poudre, 1 seringue préremplie avec 2 ml de solvant,  
1 aiguille de sécurité, 1 adaptateur pour flacon

1 vial de polvo, 1 jeringa precargada con 2 ml de disolvente,  
1 aguja con dispositivo de seguridad, 1 adaptador para viales



Manufactured by Recordati AG Rare Diseases Branch, Basel, Switzerland  
Fabriqué par Recordati AG Rare Diseases Branch, Bâle, Suisse  
Fabricado por Recordati AG Rare Diseases Branch, Basilea, Suíza

Guatemala Reg. No.:  
Costa Rica Reg. No.:  
Panamá Reg. No.:  
Malaysia Reg. No.: MAL16105050ARZ  
Singapore Reg. No.: SIN15170P

1139941  
EXP(en/fr/sp)

95 x 36 x 219

One vial contains 60 mg pasireotide (as pasireotide pamoate).  
Also contains:  
Vial: poly(D,L-lactide-co-glycolide) (50-60:40-50),  
poly(D,L-lactide-co-glycolide) (50:50).  
Pre-filled syringe: carmellose sodium, mannitol, poloxamer 18  
water for injections.

Un flacon contient 60 mg de pasiréotide (sous forme de pamoate de pasiréotide).  
Contient également:  
Flacon: poly(D,L-lactide-co-glycolide) (50-60:40-50),  
poly(D,L-lactide-co-glycolide) (50:50).  
Seringue préremplie: carmellose sodique, mannitol,  
poloxamère 188, eau pour préparations injectables.

Un vial contiene 60 mg de pasireotida (en forma de pamoato de pasireotida).  
También contiene:  
Vial: poli(D,L-láctido-co-glicólido (50-60:40-50),  
poli(D,L-láctido-co-glicólido (50:50).  
Jeringa precargada: carmelosa sódica, manitol, poloxámero 188,  
agua para preparaciones inyectables.

Keep out of the sight and reach of children.  
Store in a refrigerator (2°C - 8°C). Do not freeze.  
Medicinal product subject to medical prescription.  
Mode of administration and preparation, contraindications and warnings:  
see the package leaflet.  
The product should be used immediately after reconstitution.  
Intramuscular use.

Tenir hors de la vue et de la portée des enfants.  
A conserver au réfrigérateur (entre 2°C et 8°C).  
Ne pas congeler.  
Médicament soumis à prescription médicale.  
Mode d'administration et de préparation, contre-indications et précautions d'emploi : voir la notice.  
Le produit doit être utilisé immédiatement après reconstitution.  
Voie intramusculaire.

Mantener fuera de la vista y del alcance de los niños.  
Conservar en refrigeración (2°C - 8°C). No congelar.  
Medicamento sujeto a prescripción médica.  
Forma de administración y preparación, contraindicaciones y advertencias:  
ver inserto.  
El producto debe usarse inmediatamente después  
de la reconstitución.  
Vía intramuscular.

**Signifor® LAR 60 mg**  
Pasireotide / Pasiréotide / Pasireotida  
Powder and solvent for suspension for injection/  
Poudre et solvant pour suspension injectable/  
Póvo y disolvente para suspensión inyectable

47358

**CONTROLLED MEDICINE / UBAT TERKAWAL**  
**Product Registration Holder/Importer:**  
**FTA Pharma Sdn. Bhd.**  
**C-9-13A, C-9-16, C-9-35, Centum@Oasis Corporate Park**  
**Jalan PJU1A/2 Ara Damansara**  
**47301 Petaling Jaya, Selangor**

## JAUHI UBAT DARI KANAK-KANAK

# Signifor® LAR 60 mg

**Pasireotide / Pasiréotide / Pasireotida**

Powder and solvent for suspension for injection/  
Poudre et solvant pour suspension injectable/  
Polvo y disolvente para suspensión inyectable

Reading direction  
pharma code  
(587)