



Xomicib 60

(Carfilzomib lyophilized powder for solution for infusion 60 mg/vial)

Lyophilized Powder for Solution for Infusion

Intravenous Infusion

Single use only.

 1 Vial

Each vial contains carfilzomib 60 mg

Dosage: Please refer accompanying package insert for detailed dosage, directions of use and precautions before use.

Direction for Reconstitution: Read the Package leaflet for reconstitution of medicine. Discard unused portion.

Storage condition of unopened vial: Store in refrigerator at 2°C to 8°C. Protect from light.

Reconstituted/Diluted Solution: Chemical and physical in-use stability of reconstituted solutions in the vial, syringe or intravenous bag has been demonstrated for 12 hours at 2°C - 8°C or for 2 hours at 25°C. The elapsed time from reconstitution to administration should not exceed 12 hours. From a microbiological point of view, the product should be used immediately. If not used immediately, in-use storage times and conditions are the responsibility of the user.

Product Registration Holder: **Synercam (M) Sdn Bhd**, A-17-7, Block A, Jaya One, No. 72A, Jalan Profesor Diraja Ungku Aziz, Seksyen 13, 46200 Petaling Jaya, Selangor, Malaysia.

Keep out of reach of children / Jauhkan ubat dari kanak-kanak "Controlled Medicine or Ubat Terkawal"

M.L. No.: 5/MN/TS/2014/FIG

CAUTION : CYTOTOXIC AGENT

Manufactured by:
MSN Laboratories Private Limited,
 Formulations Division, Unit-II, Sy. No. 1277 & 1319 to
 1324, Nandigama (Village & Mandal),
 Rangareddy District-509228, Telangana, INDIA

CXXXXXX-XX

LOT: XXXXXXXXXX

MFD.: MM.YYYY

EXP.: MM.YYYY

Both Prefix and variable data shall be over coded during packing.

Unvarnished area

Version No.: 11

Text Type: Arial Narrow, OCR-B 10 BT.

Font size: 3.8 pt

P 273 C

P 220 C

P 485 C

Dotted lines not to be printed (Un varnished area)

Black

Outer lines not to be printed.

Note: Artwork dimensions shall be finalized during commercialization of the product.