

DRAFT 1 (Mac-Alcc) 20/11/2017 APPROVAL ARTWORK	DRAFT 2 (Mac-Alcc) 23/11/2017 from UG: correction Chiesi code on the box
--	---

5) ARTWORK LAB ☐ (Final check) ☐ PDF OK per TVS (signature) _____ (date) _____

6) ARTW. DEVEL. MANAGER ☐ Final PDF Approved for Print (signature) _____ (date) _____



CHIESI FARMACEUTICI S.p.A. - Parma - Italia VIETATA LA MANOMISSIONE / NOT TO TAMPER THIS DOCUMENT				D.Q.O.C. UG - Autore / Artworks Lab.: RB / Eurpack mail: r.boselli@chiesi.com	
(1) DESCRIZIONE MATERIALE / DESCRIPTION OF MATERIAL					
A.E.V.FOSTER NEXTh.100/6mcg 120D MY					
(2) F.TO A.A./FORMAT A134		(2) DIMENSIONI/DIMENSIONS 89 x 38 x 163,5 mm		(4) CODICE / CHIESI FARMACEUTICI ITEM 0108003950/01	
(3) N° PHARMACODE 129 (cod. barre) DATAMATRIX: /		(5) COD. SOST./REPLACES CODE: / RIF./MOCK UP REFERENCE: 00898/R		(4) CARATTERE/FONT: Meta Plus CORPO/SIZE: 9 pt BOBINATURA/WINDING: /	
LINEA CONFEZIONAMENTO/ PACKAGING LINE: /					
COLORI DI STAMPA/COLOURS PRINT: N. 5 BLACK+ half. P 228C P 227C P 277C P 273C				RIF.VERNICE STD/ REF. STD VARNISH: STD VARNISH B	
FUSTELLA/ DIE				TOT. PAG. PDF: N. 1	
(7) Rif. rich. di codifica del / Refers to new code request of 24/10/17 - (6) Motivo / Reason: - Regulatorio / Regulatory modification: Launch of FOSTER NEXThaler Malaysia - Tecnico / Technical modification: added CH code and change Pharmacode.				LINGUA/LANGUAGE: English	

The diagram shows a net for a sleeve box. It consists of a central vertical strip (the sleeve) and two side panels. The sleeve has a top and bottom flap. Dimensions are indicated: the sleeve height is 100 mm, the side panel height is 100 mm, and the sleeve width is 20 mm. A callout box points to a specific location on the sleeve, labeled 'Posizione dell'etichetta rimovibile' (Position of the removable label). The callout shows a small rectangle with a dashed line and a solid line, indicating the label's position. The label is positioned approximately 10 mm from the top edge of the sleeve. The text 'Per il fornitore: esempio per posizione dell'etichetta rimovibile posizionata a circa 10 mm dalla cordonatura dell'astuccio.' (For the supplier: example for position of removable label placed at approximately 10 mm from border) is written below the diagram. Below this, the text 'FORESEEN ZONE FOR REMOVABLE LABEL.' is written in a large, bold, pink font.