

Item Number: 0756137		Version: 1		Swatches																
Profile: 0402172_1_VL_Drwg		Technical Specification: 0402172_TSEL02		Black	PANTONE 7745 li															
Artwork Dimensions/Size: 95 x 32 mm				PANTONE 185 C																
Graphics House: 106451350 / 402659596 / SGK München																				
Date: 16Dec2021				Visible / Not Printed*																
OPTIONAL: Artwork Approver outside the Shire Management System:				Dieline	Technical Info															
Role:	Name:	Signature:	Date:	 Confidential Property of Takeda																
			<table border="1"> <tr> <td>Body Text Size</td> <td>7 pt</td> </tr> </table>	Body Text Size	7 pt	<table border="1"> <tr> <td>Code ITF 2/5</td> <td>756137</td> </tr> <tr> <td>Pharmacode</td> <td>NA</td> </tr> </table>	Code ITF 2/5	756137	Pharmacode	NA	<table border="1"> <tr> <td>Datamatrix Code</td> <td>NA</td> </tr> <tr> <td>Code 3 of 9</td> <td>NA</td> </tr> </table>	Datamatrix Code	NA	Code 3 of 9	NA	<table border="1"> <tr> <td>RSS / GS1-128 Code</td> <td>NA</td> </tr> <tr> <td>GTIN / EAN-13 Code</td> <td>NA</td> </tr> </table>	RSS / GS1-128 Code	NA	GTIN / EAN-13 Code	NA
Body Text Size	7 pt																			
Code ITF 2/5	756137																			
Pharmacode	NA																			
Datamatrix Code	NA																			
Code 3 of 9	NA																			
RSS / GS1-128 Code	NA																			
GTIN / EAN-13 Code	NA																			

* Color not present in printed material.

top label / front side

IMMUNATE 500 IU		IMMUNATE 500 IU		IMMUNATE 500 IU Powder and solvent for solution for injection Active Substance: Human Coagulation Factor VIII, VHSD (Vapour Heated and Solvent Detergent) treated This product contains animal part(s) (porcine/pig) 	
Lot:	EXP.:	Lot:	EXP.:	Lot:	EXP.:
				MAL20061558AZ Takeda Manufacturing Austria AG, 1221 Wien/Vienna 0756137	
					

top label / reverse side

Powder and solvent for solution for injection

1 vial provides: 500 IU human coagulation factor VIII and 375 IU von Willebrand Faktor activity (VWF:RCo); appr. 100 IU FVIII/ml and 75 IU VWF/ml after reconstitution. Human Albumin, Glycine, Sodium chloride, Sodium citrate, Lysine HCl, Calcium chloride.

Read package leaflet before use. For single use only.

base label / front side

For intravenous use. Use the reconstituted solution immediately (within 3 hours). Slow (**max. 2 ml/min**) i. v. injection. Discard residues. Store at 2° C – 8° C (in a refrigerator). Do not freeze. Store in the original package in order to protect from light. Keep out of the reach and sight of children. Medicinal product subject to medicinal prescription.