


<b>Item Number:</b> LE-07-61164		<b>Version:</b> 4		<b>Swatches</b>	
<b>Profile:</b> 0400654_1_VL_Drwg		<b>Technical Specification:</b> LE0400654		Security Ink	Black
<b>Artwork Dimensions/Size:</b> 107 x 30 (+ 2mm peel-off)				PANTONE 3262 C	PANTONE 526 C
<b>Graphics House:</b> Perigord				PANTONE 485 C	
<b>Date:</b> 16APR2025				<b>Visible / Not Printed*</b>	
<b>OPTIONAL:</b> Artwork Approver outside the Takeda Management System:				Dieline	Technical Info
<b>Role:</b>	<b>Name:</b>	<b>Signature:</b>	<b>Date:</b>		
				Confidential Property of Takeda	
		<b>Body Text Size</b>	<b>Code ITF 2/5</b>	<b>Datamatrix Code</b>	<b>RSS / GS1-128 Code</b>
		5.0 pt	NA	0761164	NA
			<b>Pharmacode</b>	<b>Code 3 of 9</b>	<b>GTIN / EAN-13 Code</b>
			NA	NA	NA


\* Color not present in printed material.


## label



<b>Takeda</b>	<b>HyQvia</b> 100 mg/mL	<b>Infuse 2nd</b>	<b>2.5 g / 25 mL</b>	<b>IG</b>	<b>HyQvia</b> solution for infusion for subcutaneous use	Lot: MFC: EXP:
	<p><b>Infusion for subcutaneous use</b> human normal immunoglobulin <b>SC use only.</b> Read the package leaflet before use. Manufacturer / Batch Release Site: Baxalta Belgium Manufacturing SA Lessines, Belgium Controlled Medicine / Ubat Terkawal Store in a refrigerator (2°C - 8°C). MALXXXXXXXXA</p>	<p>PRH: Takeda Malaysia Sdn. Bhd. Unit TB-L13-1, Level 13, Tower B, Plaza 33, No.1, Jalan Kemajuan, Seksyen 13, 46200 Petaling Jaya, Selangor Malaysia Jauhi ubat daripada kanak-kanak/Keep medicine out of reach of children</p>	<p>LE-07-61164</p>	<p>2.5 g / 25 mL</p>	<p>2.5 g / 25 mL</p>	<p>Lot: MFC: EXP:</p>

## position



<b>Item Number:</b> LE-07-61168		<b>Version:</b> 4		<b>Swatches</b>	
<b>Profile:</b> 0400994_1_VL_Drwg		<b>Technical Specification:</b> LE0400994		Security Ink	Black
<b>Artwork Dimensions/Size:</b> 132 x 38 (+ 2mm peel-off)				PANTONE 369 C	PANTONE 526 C
				PANTONE 485 C	
<b>Graphics House:</b> Perigord				<b>Visible / Not Printed*</b>	
<b>Date:</b> 16APR2025				Dieline	Technical Info
<b>OPTIONAL:</b> Artwork Approver outside the Takeda Management System:					
<b>Role:</b>	<b>Name:</b>	<b>Signature:</b>		<b>Date:</b>	 <small>Confidential Property of Takeda</small>

\* Color not present in printed material.

<b>Body Text Size</b>	<b>Code ITF 2/5</b>	<b>Datamatrix Code</b>	<b>RSS / GS1-128 Code</b>
6.0 pt	NA	0761168	NA
	<b>Pharmacode</b>	<b>Code 3 of 9</b>	<b>GTIN / EAN-13 Code</b>
	NA	NA	NA

## label

Takeda

# HyQvia

**100 mg/mL**

Infuse 2nd


5 g / 50 mL

# IG

Lot:   
MFC:   
EXP:

**Infusion for subcutaneous use**  
human normal immunoglobulin  
**Subcutaneous use only.** Read the package leaflet before use.  
1 vial: Immunoglobulin: 100 mg/mL, at least 98% is IgG  
Maximum immunoglobulin A (IgA) content: 140 micrograms/mL.  
Do not freeze.  
Keep the vial in the outer carton in order to protect from light.  
**Store in a refrigerator (2°C - 8°C).**

Manufacturer / Batch Release Site:  
Baxalta Belgium  
Manufacturing SA Lessines, Belgium  
Controlled Medicine / Ubat Terkawal MALXXXXXXXXA  
PRH: Takeda Malaysia Sdn. Bhd. Unit TB-L13-1, Level 13, Tower B, Plaza 33, No. 1, Jalan Kemajuan, Seksyen 13, 46200 Petaling Jaya, Selangor Malaysia  
Jauhi ubat daripada kanak-kanak/Keep medicine out of reach of children

LE-07-61168 


Takeda


HyQvia Solution for infusion for subcutaneous use

5 g / 50 mL

Lot:   
MFC:   
EXP:

## position



<b>Item Number:</b> LE-07-61171		<b>Version:</b> 4		<b>Swatches</b>	
<b>Profile:</b> 0401773_1_VL_Drwg		<b>Technical Specification:</b> LE0401773		Security Ink	Black
<b>Artwork Dimensions/Size:</b> 147 x 42 mm				PANTONE 226 C	PANTONE 526 C
<b>Graphics House:</b> Perigord				PANTONE 485 C	
<b>Date:</b> 16APR2025				<b>Visible / Not Printed*</b>	
<b>OPTIONAL:</b> Artwork Approver outside the Takeda Management System:				Dieline	Technical Info
<b>Role:</b>	<b>Name:</b>	<b>Signature:</b>	<b>Date:</b>	 <small>Confidential Property of Takeda</small>	
			<b>Body Text Size</b> 6.5 pt	<b>Code ITF 2/5</b> NA	<b>Datamatrix Code</b> 0761171
				<b>Pharmacode</b> NA	<b>Code 3 of 9</b> NA
					<b>RSS / GS1-128 Code</b> NA
					<b>GTIN / EAN-13 Code</b> NA

\* Color not present in printed material.

## label



Takeda

### HyQvia 100 mg/mL

**Infuse 2nd**

**10 g / 100 mL**

## IG



**Infusion for subcutaneous use**  
**Subcutaneous use only.** Read the package leaflet before use.  
 1 vial: Immunoglobulin: 100 mg/mL, at least 98% is IgG  
 Maximum immunoglobulin A (IgA) content: 140 micrograms/mL.  
 Do not freeze.  
 Keep the vial in the outer carton in order to protect from light.  
**Store in a refrigerator (2°C - 8°C).**

**Manufacturer / Batch Release Site:**  
 Baxalta Belgium Manufacturing SA  
 Lessines, Belgium  
**Controlled Medicine / Ubat Terkawal**  
 MALXXXXXXXXA  
**PRH:** Takeda Malaysia Sdn. Bhd. Unit  
 TB-L13-1, Level 13,  
 Tower B, Plaza 33, No.1, Jalan  
 Kemajuan, Seksyen 13, 46200  
 Petaling Jaya, Selangor Malaysia  
 Jauhi ubat daripada kanak-kanak/Keep  
 medicine out of reach of children

LE-07-61171

Lot:  
MFG:  
EXP:

---

**HyQvia** Solution for infusion for subcutaneous use 10 g / 100 mL


Lot:  
EXP:  
Takeda


---

**HyQvia** Solution for infusion for subcutaneous use 10 g / 100 mL

Lot:  
EXP:  
Takeda

## position



<b>Item Number:</b> LE-07-61174		<b>Version:</b> 4		<b>Swatches</b>			
<b>Profile:</b> 0400657_1_VL_Drwg		<b>Technical Specification:</b> LE0400657					
<b>Artwork Dimensions/Size:</b> 190 x 47 (+2mm peel-off)				Security Ink	Black		
<b>Graphics House:</b> Perigord <b>Date:</b> 16APR2025				PANTONE 526 C	PANTONE 485 C		
				PANTONE 293 C			
<b>OPTIONAL:</b> Artwork Approver outside the Takeda Management System:				<b>Visible / Not Printed*</b>			
<b>Role:</b>	<b>Name:</b>	<b>Signature:</b>	<b>Date:</b>	Dieline			
				Technical Info			
				 Confidential Property of Takeda			
				<b>Body Text Size</b>	<b>Code ITF 2/5</b>	<b>Datamatrix Code</b>	<b>RSS / GS1-128 Code</b>
				8.0 pt	NA	0761174	NA
				<b>Pharmacode</b>	<b>Code 3 of 9</b>	<b>GTIN / EAN-13 Code</b>	
				NA	NA	NA	

\* Color not present in printed material.

## label



Takeda

**HyQvia 100 mg/mL**  
**Infusion for subcutaneous use**  
 human normal immunoglobulin  
**Subcutaneous use only.** Read the package leaflet before use.  
 1 vial: Immunoglobulin: 100 mg/mL, at least 98% is IgG  
 Maximum immunoglobulin A (IgA) content: 140 micrograms/mL.  
 Do not freeze.  
 Keep the vial in the outer carton in order to protect from light.  
**Store in a refrigerator (2°C - 8°C).**


**Infuse 2nd**

Manufacturer / Batch Release Site:  
 Baxalta Belgium Manufacturing SA  
 Lessines, Belgium  
 Controlled Medicine / Ubat Terkawal  
 MALXXXXXXXXXA  
 PRH: Takeda Malaysia Sdn. Bhd. Unit  
 TB-L13-1, Level 13, Tower B, Plaza 33,  
 No. 1, Jalan Kemajuan, Seksyen 13,  
 46200 Petaling Jaya, Selangor Malaysia  
 Jauhi ubat daripada kanak-kanak/Keep  
 medicine out of reach of children

LE-07-61174

**20 g / 200 mL**

**IG**



**HyQvia**  
**Solution for infusion for subcutaneous use**

Lot:  
 EXP:

Takeda


**HyQvia**  
**Solution for infusion for subcutaneous use**


Lot:  
 EXP:

Takeda

Lot:  
 MFG:  
 EXP:

## position




<b>Item Number:</b> LE-07-61177		<b>Version:</b> 4		<b>Swatches</b>	
<b>Profile:</b> 0400657_1_VL_Drwg		<b>Technical Specification:</b> LE0400657			
<b>Artwork Dimensions/Size:</b> 190 x 47 (+2mm peel-off)				Security Ink Black	
<b>Graphics House:</b> Perigord				PANTONE 526 C PANTONE 485 C	
<b>Date:</b> 16APR2025				PANTONE 410 C	
<b>OPTIONAL:</b> Artwork Approver outside the Takeda Management System:				<b>Visible / Not Printed*</b>	
<b>Role:</b>		<b>Name:</b>		<b>Dieline</b> Technical Info	
<b>Signature:</b>		<b>Date:</b>		 <small>Confidential Property of Takeda</small>	
<b>Body Text Size</b>		<b>Code ITF 2/5</b>	<b>Datamatrix Code</b>	<b>RSS / GS1-128 Code</b>	
7.0 pt		NA	0761177	NA	
		<b>Pharmacode</b>	<b>Code 3 of 9</b>	<b>GTIN / EAN-13 Code</b>	
		NA	NA	NA	

\* Color not present in printed material.

## label



<b>Takeda</b>	<p><b>HyQvia 100 mg/mL</b></p> <p><b>Infusion for subcutaneous use</b> human normal immunoglobulin</p> <p><b>Subcutaneous use only.</b> Read the package leaflet before use.</p> <p>1 vial: Immunoglobulin: 100 mg/mL, at least 98% is IgG</p> <p>Maximum immunoglobulin A (IgA) content: 140 micrograms/mL.</p> <p>Do not freeze.</p> <p>Keep the vial in the outer carton in order to protect from light.</p> <p><b>Store in a refrigerator (2°C - 8°C).</b></p>	<p><b>Infuse 2nd</b></p> <p>Manufacturer / Batch Release Site: Baxalta Belgium Manufacturing SA Lessines, Belgium</p> <p>Controlled Medicine / Ubat Terkawal MALXXXXXXXXA</p> <p>PRH: Takeda Malaysia Sdn. Bhd. Unit TB-L13-1, Level 13, Tower B, Plaza 33, No.1, Jalan Kemajuan, Seksyen 13, 46200 Petaling Jaya, Selangor Malaysia</p> <p>Jauhi ubat daripada kanak-kanak/Keep medicine out of reach of children</p>	<p><b>30 g / 300 mL</b></p> <p><b>IG</b></p> <p></p>	<p><b>HyQvia</b> <b>Solution for infusion for subcutaneous use</b></p> <p><b>30 g / 300 mL</b></p> <p>Lot: EXP:</p> <p><b>Takeda</b></p>	<p>Lot: MFG: EXP:</p>
	<p>LE-07-61177</p>	<p><b>HyQvia</b> <b>Solution for infusion for subcutaneous use</b></p> <p><b>30 g / 300 mL</b></p> <p>Lot: EXP:</p> <p><b>Takeda</b></p>			

## position

