

FIRE-SENS METHOLATED RUB

Methyl Salicylate/ Menthol/ Camphor (22% w/w/ 11.5% w/w/ 5% w/w)

Apakah yang ada pada risalah ini

1. Apakah kegunaan Fire-Sens Mentholated Rub
2. Bagaimana Fire-Sens Mentholated Rub berfungsi
3. Sebelum menggunakan Fire- Sens Mentholated Rub
4. Cara menggunakan Fire-Sens Mentholated Rub
5. Semasa menggunakan Fire- Sens Mentholated Rub
6. Kesan-kesan sampingan
7. Cara penyimpanan dan pelupusan Fire-Sens Mentholated Rub
8. Maklumat lanjut
9. Pengilang dan Pemegang Pendaftaran Produk
10. Tarikh kemas kini

Apakah kegunaan Fire-Sens Mentholated Rub

Ia digunakan pada kulit untuk memberikan kelegaan sementara bagi sakit otot dan sendi, reumatisme, sakit belakang dan terseliuh.

Bagaimana Fire-Sens Mentholated Rub berfungsi

Ubat ini mengandungi bahan aktif yang akan mengembangkan saluran darah dan memberikan rasa sejuk, diikuti dengan kesan panas yang menenangkan dan melegakan kesan kesakitan.

Sebelum menggunakan Fire- Sens Mentholated Rub

- Bila tidak boleh menggunakan

-Jangan gunakan ubat ini jika anda alah kepada bahan aktif atau mana-mana bahan lain yang terkandung dalam ubat ini (seperti disenaraikan dalam Maklumat Lanjut Produk).
-Jangan gunakan pada bayi di bawah umur 2 tahun kerana ia boleh menyebabkan sawan.

- Sebelum mula menggunakan

-Jika anda mempunyai kulit yang sensitif, cuba pada permukaan kulit yang kecil terlebih dahulu.
-Jangan gunakan semasa mengandung dan semasa menyusui.

- Jika mengambil ubat-ubat lain

- Beritahu doktor jika anda mengambil sebarang ubat lain termasuk ubat yang dibeli tanpa preskripsi dari farmasi, pasar raya atau kedai makanan kesihatan.
- Produk ini mengandungi *methyl salicylate* dan apabila disapu pada kulit, boleh diserap ke dalam darah. Jika anda mengambil warfarin, penggunaan berlebihan pada kulit boleh meningkatkan risiko pendarahan.

Cara menggunakan Fire-Sens Mentholated Rub

- Berapa banyak harus digunakan

Untuk kegunaan luar sahaja. Sapukan secukupnya pada bahagian yang sakit.

- Bila perlu digunakan

Sapukan 3-4 kali sehari atau seperti yang diarahkan oleh doktor atau ahli farmasi anda.

- Berapa lama perlu digunakan

Gunakan ubat ini mengikut tempoh masa yang ditetapkan oleh doktor anda.

- Jika terlupa menggunakan

Sila rujuk dengan doktor tentang apa yang anda perlu lakukan jika terlupa menggunakannya. Gunakan dos yang tertinggal sebaik sahaja anda ingat. Sekiranya, sudah hampir masa untuk dos seterusnya, abaikan dos yang tertinggal dan kemudian teruskan penggunaan ubat mengikut jadual seperti biasa. Jangan gunakan dos berganda untuk menggantikan dos yang tertinggal.

- Jika menggunakan secara berlebihan (terlebih dos)

Keracunan *salicylate* boleh berlaku jika termakan atau penggunaan dalam keadaan tertentu. Anda mungkin berasa tidak selesa seperti pening kepala dan rasa loya atau muntah. Hentikan penggunaan dan hubungi doktor anda dengan segera atau pergi ke Jabatan Kecemasan hospital terdekat, jika dos berlebihan telah digunakan. Ini perlu dilakukan walaupun tiada sebarang kesan keracunan atau rasa tidak selesa. Anda mungkin memerlukan rawatan perubatan segera.

Semasa menggunakan Fire- Sens Mentholated Rub

- Perkara yang perlu dilakukan

- Sapukan pada bahagian yang sakit perlahan-lahan sehingga diserap sepenuhnya.
- Beritahu semua doktor, doktor gigi dan ahli farmasi yang merawat anda bahawa anda menggunakan Fire-Sens Mentholated Rub.

- Perkara yang tidak boleh dilakukan

- Jangan gunakan pada luka
- Jangan gunakan sebarang ubat baharu tanpa berbincang dengan doktor anda atau ahli farmasi.
- Jangan berikan Fire-Sens Mentholated Rub kepada orang lain, walaupun mereka mempunyai simptom atau keadaan yang sama seperti anda.

- Perkara yang perlu diberi perhatian

- Elakkan daripada terkena mata.

-
- Adalah merbahaya untuk menggunakan produk yang mengandungi *camphor* ke dalam lubang hidung kanak-kanak. Walaupun sedikit amaun produk yang digunakan dengan cara tersebut boleh menyebabkan pengsan dengan segera.
 - Perhatian harus diberikan semasa merawat kanak-kanak.

Kesan-kesan sampingan

Produk ini boleh menyebabkan reaksi hipersensitiviti / alahan, termasuk keradangan pada sesetengah individu dengan kulit sensitif.

Anda boleh melaporkan sebarang kesan sampingan atau kesan advers ubat kepada Pusat Pemantauan Kesan Advers Ubat Kebangsaan melalui laman web <http://npra.gov.my> [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Cara penyimpanan dan Pelupusan Fire-Sens Mentholated Rub

- Penyimpanan

Simpan di bawah suhu 30°C di tempat yang kering.
Jauhi semua ubat daripada kanak-kanak.

- Pelupusan

Ubat-ubatan tidak harus dilupuskan melalui air buangan atau sisa isi rumah. Sila rujuk kepada ahli farmasi anda mengenai cara yang betul untuk melupuskan ubat yang tidak diperlukan lagi. Langkah-langkah ini akan membantu melindungi alam sekitar.

Maklumat lanjut

- Rupa dan warna produk

Salap putih kelabu dengan bau seperti *Methyl Salicylate*, *Menthol* dan *Camphor*

- Bahan-bahan kandungan

-Bahan aktif
Methyl Salicylate
Menthol
Camphor

-Bahan tidak aktif
Liquid Paraffin, *Paraffin Wax*,
Petrolatum, *Eucalyptus Oil*, *Tea Tree Oil*, *Nutmeg Oil*

- Nombor MAL:

MAL20012778X

Pengilang dan Pemegang Pendaftaran Produk

Q-PACK (M) SDN BHD
(199201022779)
No.2, Jalan Perunding U1/17,
Hicom-Glenmarie Industrial Park,
Seksyen U1 40150 Shah Alam,
Selangor Darul Ehsan, Malaysia

Tarikh kemas kini

27/03/2024

Nombor Siri

NPRA(R4/1)280223/00020

FIRE-SENS METHOLATED RUB

Methyl Salicylate/ Menthol/ Camphor (22% w/w/ 11.5% w/w/ 5% w/w)

What is in this leaflet

1. What is Fire-Sens Mentholated Rub used for
2. How Fire-Sens Mentholated Rub works
3. Before you use Fire-Sens Mentholated Rub
4. How to use Fire-Sens Mentholated Rub
5. While you are using Fire-Sens Mentholated Rub
6. Side effects
7. Storage and disposal of Fire-Sens Mentholated Rub
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

What is Fire-Sens Mentholated Rub used for

It is used topically for temporary relief of muscle and joint pain, rheumatism, backache and sprains.

How Fire-Sens Mentholated Rub works

This medication contains active ingredients that will dilate blood vessels thus gives rise to a cold sensation, followed by a warm soothing and pain relief effect.

Before you use Fire-Sens Mentholated Rub

- When you must not use it

- Do not use this medicine if you are allergic to the active ingredients or any other ingredients of this medicine (listed in Product Description).
- Do not use on infants below 2 years old as it can cause convulsion.

- Before you start to use it

- Test on a small area of your skin if you suspect to have sensitive skin.

- Do not use during pregnancy and when breastfeeding.

- Taking other medicines

- Tell your doctor if you are taking any other medicines that you buy with or without prescription from a pharmacy, supermarket or health food shop.

- This product contains methyl salicylate and when applied or rub on to the skin, can be absorbed through the skin into the blood. If you are taking warfarin, excessive application on to the skin may increase the risk of bleeding.

How to use Fire-Sens Mentholated Rub

- How much to use

For external use only. Use only sufficient amount onto the affected area.

- When to use it

Apply 3-4 times daily or as directed by your doctor or pharmacist.

- How long to use it

Apply Fire-Sens Mentholated Rub for the duration as your doctor recommends.

- If you forget to use it

Consult your doctor on what you should do if you forgot to use it. Use the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to use the medicine and skip the missed dose. Do not apply a double dose to make up for the missed dose.

- If you use too much (overdose)

Salicylate intoxication can occur after accidental ingestion or topical application of methyl salicylate under certain conditions. You may experience symptoms of discomfort such as dizziness, nausea or vomiting.

Discontinue use and contact your

doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have used too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using it

- Things you must do

- Apply on affected area gently until completely absorbed.
- Tell all the doctors, dentists and pharmacists treating you that you are using Fire-Sens Mentholated Rub.

- Things you must not do

- Do not use on wound or damaged skin.
- Do not use any new medicines without consulting your doctor or pharmacist.
- Do not give Fire-Sens Mentholated Rub to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

- Avoid contact with eyes.
- It is dangerous to place any camphor containing product into the nostril of children. A small amount applied this way may cause immediate collapse.
- Be careful when older children are treated.

Side effects

This product may cause hypersensitivity/allergic reactions, including inflammation in some individuals with sensitive skin.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website <http://npra.gov.my> [Consumers→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Date of revision

27/03/2024

Serial Number

NPRA(R4/1)280223/00020

Storage and Disposal of Fire- Sens Mentholated Rub**- Storage**

Store below 30°C, in a dry place.

Keep out of reach of children.

- Disposal

Medicines should not be disposed into the wastewater and household waste. Ask your pharmacist how to dispose medicine that is no longer required. These measures will help to protect the environment.

Product Description**- What it looks like**

Greyish white ointment with characteristic smell of Methyl Salicylate, Menthol and Camphor

- Ingredients

-Active ingredients:

Methyl Salicylate

Menthol

Camphor

-Inactive ingredients:

Liquid Paraffin, Paraffin Wax, Petrolatum, Eucalyptus Oil, Tea Tree Oil, Nutmeg Oil

- MAL number:

MAL20012778X

Manufacturer and Product Registration Holder

Q-PACK (M) SDN BHD

(199201022779)

No.2, Jalan Perunding U1/17,

Hicom-Glenmarie Industrial Park,

Seksyen U1 40150 Shah Alam,

Selangor Darul Ehsan, Malaysia