

BETA ANTISEPTIC LOTION

Povidone-Iodine (10% w/v)

What is in this leaflet

1. What Beta Antiseptic Lotion is used for
2. How Beta Antiseptic Lotion works
3. Before you use Beta Antiseptic Lotion
4. How to use Beta Antiseptic Lotion
5. While you are using it
6. Side effects
7. Storage and Disposal of Beta Antiseptic Lotion
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of Revision

What Beta Antiseptic Lotion is used for

Beta Antiseptic Lotion is used as a topical antiseptic for the treatment and prevention of infection in cuts, wounds, abrasions, minor burns, and other skin infections.

How Beta Antiseptic Lotion works

Beta Antiseptic Lotion contains Povidone-Iodine, which kills bacteria, fungi, viruses, protozoa, and spores.

Before you use Beta Antiseptic Lotion

- When you must not use it
Do not use Beta Antiseptic Lotion if you or your children have/are:
 - allergic to iodine or any other ingredients of this medicine (listed in Product Description);
 - thyroid gland enlargement with no disturbance in the thyroid function;
 - burn areas covering more than 20% body surface.
- Before you start to use it
Tell your doctor or pharmacist if you have/are:
 - impaired thyroid function
 - impaired kidney function
 - pregnant, planning for pregnancy or breastfeeding
- Taking other medicines
Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use Beta Antiseptic Lotion

- How much to use
Apply sufficient amount directly on the affected area using cotton ball or cotton tipped applicator.
 - When to use it
Apply as directed by your doctor or pharmacist.

Tinea (fungal skin infection):
Apply 3 to 4 times daily.

Other skin infection:
Apply 2 times daily.

Reapply the lotion if you see the colour has faded.
 - How long to use it
Apply Beta Antiseptic Lotion for the duration that the doctor or pharmacist recommends, or until all symptoms have disappeared.

For tinea (fungal skin infection) treatment, continue to apply for another 7 days after all symptoms have disappeared.
 - If you forget to use it
Apply the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to apply the medicine and skip the missed dose. Do not apply a double dose to make up for the missed dose.
 - If you use too much (overdose)
Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have used too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.
- ## While you are using it
- Things you must do
Tell all the doctors and pharmacists treating you that you are using Beta Antiseptic Lotion.
 - Things you must not do
Do not use any new medicines without consulting your doctor or pharmacist.

Do not give Beta Antiseptic Lotion to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

For external use only. Avoid in contact with eyes, nose, mouth, mucous membrane, extensive burn area or broken skin. Not to be taken.

Side effects

Like all medicines, Beta Antiseptic Lotion can cause side effects, although not everybody gets them. Beta Antiseptic Lotion may cause:

- Local irritation
- Sensitivity of skin
- Underactive thyroid gland in newborn baby

Visit your doctor or pharmacist immediately if you experience any side effects after using this medicine.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of Beta Antiseptic Lotion

- Storage
 - Keep out of the reach and sight of children.
 - Store below 30°C.
 - Protect from light.
 - Keep cap tightly closed.
- Disposal
Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like
A reddish-brown antiseptic lotion.
- Ingredients
 - Active ingredient
Povidone-Iodine
 - Inactive ingredients
Industrial methylated spirit, purified water.
- MAL number:
MAL19962576XZ

BETA ANTISEPTIC LOTION

Povidone-Iodine (10% w/v)

Manufacturer and Product

Registration Holder

Winwa Medical Sdn. Bhd.
1952, Lorong I.K.S. Bukit Minyak 3,
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

Date of Revision

04/09/2024

Serial Number

NPRA(R4/1)030924/00117