

For the relief of cough and congestion in the chest and nasal passages. It helps to loosen viscous mucous and expectorate stubborn phlegm.

Dosage: For oral administration only.

Adults and children above 12 years:
Take 1 to 2 teaspoons (5 to 10ml) every 4 to 6 hours.

Children 6 to 12 years:
Give ½ to 1 teaspoon (2.5 to 5ml) every 4 to 6 hours.

Children 2 to 5 years:
Give ½ teaspoon (2.5ml) every 4 to 6 hours.

Do not exceed 6 doses in 24 hours.

Precautions: If symptoms persist, please consult a doctor.

This medicine may cause drowsiness. If affected, do not drive or operate machinery. Avoid alcoholic drinks.

Not to be used in children less than 2 years of age.

To be used with caution and doctor's / pharmacist's advice in children 2 to 6 years of age.

BN :
MFG :
EXP :

Alcohol Free

90ml

Winadryl
Expectorant Syrup

Relieves Cough,
Chest Congestion &
Expectorates
Phlegm

Storage:
Store below 30°C. Protect from light. Keep cap tightly closed. Keep out of reach of children. Jauhkan daripada capaian kanak-kanak.

Please refer enclosed leaflet for more information.

Each 5ml contains -
Diphenhydramine HCl 14mg
Ammonium Chloride 135mg
Preserved with Methyl Hydroxybenzoate 0.12%w/v and Propyl Hydroxybenzoate 0.012%w/v.

Manufacturer and Product Registration Holder
WINWA MEDICAL SDN. BHD.
198101009677(75794-A)
1952, Lorong I.K.S. Bukit Minyak 3,
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

Controlled Medicine

MAL08010745AZ BRU24063455P

9 5 5 7 8 3 7 0 0 3 3 7 3

A.LWR90b-L.07

Size: 135mm x 45mm

C M Y K

Checked by	
Approved by	

For the relief of cough and congestion in the chest and nasal passages. It helps to loosen viscous mucous and expectorate stubborn phlegm.

Dosage: For oral administration only.

Adults and children above 12 years:
Take 1 to 2 teaspoons (5 to 10ml) every 4 to 6 hours.

Children 6 to 12 years:
Give ½ to 1 teaspoon (2.5 to 5ml) every 4 to 6 hours.

Children 2 to 5 years:
Give ½ teaspoon (2.5ml) every 4 to 6 hours.

Do not exceed 6 doses in 24 hours.

Precautions:
If symptoms persist, please consult a doctor.

This medicine may cause drowsiness. If affected, do not drive or operate machinery. Avoid alcoholic drinks.

Not to be used in children less than 2 years of age.

To be used with caution and doctor's / pharmacist's advice in children 2 to 6 years of age.

BN :
MFG :
EXP :

Alcohol Free

120ml

Winadryl
Expectorant Syrup

Relieves Cough,
Chest Congestion &
Expectorates
Phlegm

Storage:
Store below 30°C. Protect from light. Keep cap tightly closed. Keep out of reach of children. Jauhkan daripada capaian kanak-kanak.

Please refer enclosed leaflet for more information.

Each 5ml contains -
Diphenhydramine HCl 14mg
Ammonium Chloride 135mg
Preserved with Methyl Hydroxybenzoate 0.12%w/v and Propyl Hydroxybenzoate 0.012%w/v.

Manufacturer and Product Registration Holder
WINWA MEDICAL SDN. BHD.
198101009677(75794-A)
1952, Lorong I.K.S. Bukit Minyak 3,
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

Controlled Medicine

MAL08010745AZ BRU24063455P

9 5 5 7 8 3 7 0 0 1 9 5 9

A.LWR120b-L.08

Size: 135mm x 50mm

C M Y K

Checked by	
Approved by	

This design is applicable for 90ml and 120ml bulk pack.

A label affix on a bottle.

12 bottles packed in a plain white box.

The barcodes on labels are identifiers for the seller.



Size: 135mm x 50mm

C M Y K

Checked by	
Approved by	



Size: 135mm x 50mm

C M Y K

Checked by	
Approved by	

This design is applicable for 100ml and 120ml individual pack.
A label affix on a bottle.
A bottle packed in a printed outer box.