


Title: Dermazol Plus Gel - 10g Tube (B)

Date: 08 Jul 2025



Checked by	
Approved by	

Size: 95mm x 50mm

■ Pantone 211C ■ Pantone 213C ■ Pantone 430C ■ K

Batch number will be press on during the crimping process.

Title: Dermazol Plus Gel - 20g Tube

Date: 08 Jul 2025

Checked by	
Approved by	

120mm

20mm


5mm

15.25mm

2mm

51.85mm

Ø22mm
69.14mm



WATER RESISTANT
BETTER ABSORPTION

Dermazol Plus Gel

Miconazole Nitrate (2%w/w) Hydrocortisone Acetate (1%w/w)

Antifungal
Anti-inflammatory
Antipruritic

20g

For the topical treatment of infections of the skin by dermatophytes of *Candida spp.* in which inflammatory symptoms are prominent. In view of Dermazol antibacterial effect on gram-positive bacteria, the product may also be used for mycotic affections with bacterial superinfection.

Directions of Use:

Apply topically to the lesion 1 to 2 times daily. It should be rubbed in gently with your finger until it has been completely penetrated into the skin. This dosage applies to both adults and children.

For infants and elderly, please refer enclosed leaflet for usage instructions.

Precautions:

For external use only. Avoid in contact with eyes, nose and mouth. Not to be taken.

If symptoms persist, please consult a doctor. Store below 30°C. Protect from light. Keep cap tightly closed after opening. Keep out of reach of children. Jauhkan daripada capaian kanak-kanak.

Please refer enclosed leaflet for more information.

Active Ingredients:

Miconazole Nitrate 2%w/w

Hydrocortisone Acetate 1%w/w

Manufacturer and Product Registration Holder
WINWA MEDICAL SDN. BHD.
198101009677(75794-A)

1952, Lorong I.K.S. Bukit Minyak 3,
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

MAL08042471AZ


**Controlled
Medicine**

A.EDG20-L.01

MFG
EXP

Size: 120mm x 69mm

 Pantone 211C  Pantone 213C  Pantone 430C  K



Dermazol Plus Gel

Miconazole Nitrate (2%/w/w) Hydrocortisone Acetate (1%/w/w)

10g x 50 Tubes

**Antifungal
Anti-inflammatory
Antipruritic**

For the topical treatment of infections of the skin by dermatophytes of *Candida spp.* in which inflammatory symptoms are prominent. In view of Dermazol antibacterial effect on gram-positive bacteria, the product may also be used for mycotic affections with bacterial superinfection.

Directions of Use:
Apply topically to the lesion 1 to 2 times daily. It should be rubbed in gently with your finger until it has been completely penetrated into the skin. This dosage applies to both adults and children.
For infants and elderly, please refer enclosed leaflet for usage instructions.


Precautions:
For external use only. Avoid in contact with eyes, nose and mouth. Not to be taken.
If symptoms persist, please consult a doctor.

Store below 30°C. Protect from light.
Keep cap tightly closed after opening.
Keep out of reach of children.
Jauhkan daripada capaian kanak-kanak.
Please refer enclosed leaflet for more information.

Active Ingredients:
Miconazole Nitrate 2%/w/w
Hydrocortisone Acetate 1%/w/w

Manufacturer and Product Registration Holder
WINVA MEDICAL SDN. BHD. BN :
198101009677(75794-A) MFG :
1952, Lorong I.K.S. Bukit Minyak 3, EXP :
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.
MAL080402471AZ

Controlled
Medicine



9 5 5 7 8 3 7 0 0 2 6 1 1

A.EDG1050-L.04

Size: 150mm x 70mm

Pantone 211C
 Pantone 213C
 Pantone 430C
 K

Checked by	
Approved by	