

Calpo Suspension

Mebendazole 100mg

What is in the leaflet

1. What Calpo Suspension is used for
2. How Calpo Suspension works
3. Before you use Calpo Suspension
4. How to take Calpo Suspension
5. While you are using it
6. Side Effects
7. Storage and Disposal of Calpo Suspension
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Calpo Suspension is used for

Calpo Suspension is used for the treatment of single or mixed worm infestations, including threadworm, roundworm, whipworm and hookworm.

How Calpo Suspension works

Calpo Suspension contains Mebendazole which is an anthelmintic against Threadworm (Enterobius), Roundworm (Ascaris), Hookworm (Ancylostoma and Necator) and Whipworm (Trichuris).

Before you use Calpo Suspension

When you must not take it

Do not take this product if you are allergic (hypersensitivity) to Mebendazole or any other ingredients in this product.

Before you start to use it

This medicine may pass into maternal milk.

Taking other medicines

None known.

How to take Calpo Suspension

How much to take

Adults and children above 2 years:

Threadworm Infestation: 1 teaspoon (5ml) as a single dose. May be repeated after 2 to 3 weeks.

Roundworm, Hookworm and Whipworm Infestation:

1 teaspoon (5ml) twice a day for 3 consecutive days.

OR

1 bottle (25ml) as a single dose.

Shake well before use.

When to take it

May be taken with or without food.

How long to take it

Take as directed by your doctor or pharmacist.

If you forget to take it

If you forget to give Calpo Suspension to your child, give it as soon as you remember. Never double up on the next dose to make up for the one missed.

If you take too much (overdose)

In case of overdose, contact your doctor immediately or go to the accident and emergency centre at your nearest hospital for medical advice.

While you are using Calpo Suspension

Things you must do

Check with your doctor at once your child develops rash or allergic reactions.

Things you must not do

Do not take this product to treat any other conditions unless it has been prescribed by your doctor.

Things to be careful of

Never leave the medicine on the counters, nightstands or tables where reachable by children.

Side Effects

Nausea, vomiting, abdominal pain and diarrhea may occasionally occur.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website nptra.moh.gov.my (Public Reporting Medicinal Problems / Side Effects / AEFI / Vaccine Safety).

Storage and Disposal of Calpo Suspension

Storage

- Store below 30°C.
- Protect from light.
- Keep cap tightly closed.
- Keep out of reach of children.

Disposal

Do not take this after the expiry date. An expiry date is printed on the label of the medicine.

Product Description

How it looks like

Calpo Suspension is a creamy white suspension.

Ingredients

Active Ingredients

Each 5ml contains Mebendazole 100mg.

Inactive Ingredients

Methyl Hydroxybenzoate, Propyl Hydroxybenzoate, Sodium Benzoate, Sugar, Xanthan Gum, Tragacanth Gum, Sorbitol Solution 70%, Banana Flavour, Purified Water.

Calpo Suspension

MAL No.: MAL19912835X

Manufacturer and Product Registration Holder

WINWA MEDICAL SDN. BHD.
1952, Lorong I.K.S. Bukit Minyak 3,
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

Date of revision

21/11/2017

X.PCM2-PIL.01