

WINCEMOL SYRUP 120MG/5ML

Paracetamol (120mg/5ml)

What is in this leaflet

1. What Wincemol Syrup 120mg/5ml is used for
2. How Wincemol Syrup 120mg/5ml works
3. Before you use Wincemol Syrup 120mg/5ml
4. How to take Wincemol Syrup 120mg/5ml
5. While you are using it
6. Side Effects
7. Storage and Disposal of Wincemol Syrup 120mg/5ml
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Wincemol Syrup 120mg/5ml is used for

Wincemol Syrup 120mg/5ml is used for the relief of fever and mild to moderate pain including headache and toothache.

How Wincemol Syrup 120mg/5ml works

Wincemol Syrup 120mg/5ml contains Paracetamol which belongs to a group of medicines called analgesic and antipyretic that helps to ease pain and reduce fever.

Before you use Wincemol Syrup 120mg/5ml

- When you must not take it

Do not take this product if you are allergic (hypersensitivity) to Paracetamol, Bisulphites or any other ingredients in this product.

- Before you start to use it

This medicine should be given with care to patients with liver or kidney problems, alcohol dependence, and to patients taking other drugs that affect the liver.

- Taking other medicines

Wincemol Syrup 120mg/5ml may interfere with warfarin and other coumarins (medicines to thin the blood). Always inform your doctor if you are taking any other medicines.

How to take Wincemol Syrup 120mg/5ml

- How much to take

Children 7 to 12 years:

Take 10 to 20ml.

Children 1 to 6 years:

Take 5 to 10ml.

Infants 3 months to 1 year:

Take 2.5 to 5ml.

Do not exceed the recommended dosage.

Administration to infants aged less than 1 month is not recommended.

- When to take it

To be taken 3 to 4 times a day.

May be taken with or without food.

- How long to take it

Take as directed by your doctor or pharmacist.

- If you forget to take it

If you forget to give Wincemol Syrup 120mg/5ml to your child, give it as soon as you remember. Never double up on the next dose to make up for the one missed.

- If you take too much (overdose)

Symptoms include pallor, nausea, vomiting, and stomach cramps or pain. In case of overdose, go to the accident and emergency centre at your nearest hospital immediately.

While you are using Wincemol Syrup 120mg/5ml

- Things you must do

Tell all the doctors, dentists and pharmacists that you/ your child is taking Wincemol Syrup.

- Check with your doctor at once:

1. If your child develops rash or allergic reactions.
2. If the pain persists for longer than 5 days for children or is getting worse.
3. If the fever last for more than 3 days or recurs.

- Things you must not do

Do not take this product to treat any other conditions unless it has been prescribed by your doctor.

- Things to be careful of

This preparation contains Paracetamol. Do not take this product if you are taking any other Paracetamol containing medicines at the same time.

Side Effects

Allergy alert: Paracetamol may cause severe skin reactions. Symptoms may include skin reddening, blisters or rash. These could be signs of a serious condition. If these reactions occur, stop use and seek medical assistance right away.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835549, or visiting the website nptra.moh.gov.my [Public → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Wincemol Syrup 120mg/5ml

- Storage

- Store below 30°C.
- Protect from light.
- Keep cap tightly closed.
- Keep out of reach of children.

- Disposal

Do not take this after the expiry date. An expiry date is printed on the label and box of the medicine.

Product Description

- What it looks like

Clear syrupy solution with orange colour and orange flavour.

Ingredients

Active Ingredients

Each 5ml contains Paracetamol 120mg

Inactive Ingredients

Methyl Hydroxybenzoate, Propyl Hydroxybenzoate, Sodium Benzoate, Sodium Saccharin, Sugar, Propylene Glycol, Sorbitol Solution, Glycerin, Sodium Metabisulphite, Sunset Yellow, Orange Juice.

- MAL Number:

MAL19912816XZ

Manufacturer and Product Registration Holder

WINWA MEDICAL SDN. BHD.
1952, Lorong I.K.S. Bukit Minyak 3,
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

Date of revision

19/6/2018

Serial Number:

NPRA(R4/1)220618/00180

X.LWC-PIL.01

WINCEMOL SYRUP 120MG/5ML

Paracetamol (120mg/5ml)

Apakah yang ada pada risalah ini

1. Apakah kegunaan Wincemol Syrup 120mg/5ml
2. Bagaimana Wincemol Syrup 120mg/5ml berfungsi
3. Sebelum mengambil Wincemol Syrup 120mg/5ml
4. Cara mengambil Wincemol Syrup 120mg/5ml
5. Semasa mengambil Wincemol Syrup 120mg/5ml
6. Kesan Sampingan
7. Cara Penyimpanan dan pelupusan Wincemol Syrup 120mg/5ml
8. Maklumat lanjut
9. Pengilang dan Pemegang Pendaftaran Produk
10. Tarikh kemaskini RiMUP

Apakah kegunaan Wincemol Syrup 120mg/5ml

Wincemol Syrup 120mg/5ml digunakan untuk melegakan demam dan kesakitan yang ringan hingga sederhana seperti sakit kepala dan sakit gigi.

Bagaimana Wincemol Syrup 120mg/5ml berfungsi

Wincemol Syrup 120mg/5ml yang mengandungi Paracetamol merupakan sejenis ubat yang termasuk dalam kategori analgesia dan antipiretik yang dijadikan ubat penahan sakit dan penurunan panas.

Sebelum mengambil Wincemol Syrup 120mg/5ml

- Bila tidak boleh mengambil

Jangan mengambil produk ini jika anda alergi (hipersensitiviti) terhadap Paracetamol, Bisulphites atau apa-apa bahan lain dalam produk ini.

- Sebelum mula mengambil

Produk ini harus diberi dengan perhatian kepada pesakit mengalami masalah hati atau buah pinggang atau mereka yang sedang mengambil ubat yang mempengaruhi hati.

- Jika mengambil ubat-ubatan lain

Wincemol Syrup 120mg / 5ml boleh mengganggu warfarin dan coumarin lain (ubat untuk mencairkan darah). Sentiasa beritahu doktor anda jika anda mengambil apa-apa ubat lain.

Cara mengambil Wincemol Syrup 120mg/5ml

- Berapa banyak harus digunakan

Kanak-kanak 7 hingga 12 tahun:
Ambil 10 hingga 20ml.

Kanak-kanak 1 hingga 6 tahun:

Ambil 5 hingga 10ml.

Bayi 3 bulan hingga 1 tahun:

Ambil 2.5 hingga 5ml.

Jangan melebihi dos yang dicadangkan.

Tidak dicadangkan kepada bayi umur 1 tahun ke bawah.

- Bila perlu diambil

Untuk diambil 3 hingga 4 kali sehari.

Boleh diambil dengan atau tanpa makanan.

- Berapa lama perlu diambil

Sila mengikuti nasihat doktor atau ahli farmasi.

- Jika terlupa mengambil

Jika anda terlupa beri Wincemol Syrup 120mg/5ml kepada anak anda, berikannya secepat mungkin apabila anda teringat. Jangan cuba beri dos berganda untuk menggantikan dos yang terlepas.

- Jika mengambil berlebihan (terlebi dos)

Gejala termasuk pucat, loya, muntah, dan kekejangan perut atau sakit. Sekiranya terambil berlebihan, sila pergi ke unit kecemasan hospital yang terdekat secepat mungkin.

Semasa mengambil Wincemol Syrup 120mg/5ml

- Perkara yang perlu dilakukan

Beritahu semua doktor, doktor gigi dan ahli farmasi bahawa anda / anak anda mengambil Sirap Wincemol.

- Rujuk doktor anda dengan segera:

1. Jika anak anda mengalami ruam atau reaksi alergi.
2. Jika sakit berterusan lebih daripada 5 hari untuk kanak-kanak atau semakin teruk.
3. Jika demam berlangsung selama lebih dari 3 hari atau berulang.

- Perkara yang tidak boleh dilakukan

Jangan ambil ubat ini untuk keadaan lain kecuali diarahkan oleh doktor anda.

- Perkara yang perlu diberi perhatian

Jangan mengambil ubat-ubatan lain yang mengandungi Paracetamol pada masa yang sama.

Kesan Sampingan

Tanda alahan: Paracetamol boleh menyebabkan alahan kulit yang teruk termasuk kemerahan kulit, lepuh atau ruam. Ini boleh menjadi tanda-tanda keadaan serius.

Jika tindak-balas ini berlaku, berhenti menggunakannya dan dapatkan rawatan segera.

Anda boleh melaporkan sebarang kesan sampingan atau kesan advers ubat kepada Pusat Pemantauan Kesan Advers Ubat Kebangsaan melalui No. Tel: 03-78835549, atau laman web npa.moh.gov.my [Orang Awam → Lapor Kesan Sampingan Ubat (ConSERF) atau Vaksin (AEFI)].

Cara Penyimpanan dan Pelupusan Wincemol Syrup 120mg/5ml

- Penyimpanan

- Simpan di bawah 30°C.
- Jauhkan daripada cahaya.
- Tutupkan penutup dengan ketat.
- Jauhkan daripada capaian kanak-kanak

- Pelupusan

Jangan ambil ubat ini selepas tarikh luput. Tarikh luput selalunya dicetak pada label dan kotak ubat.

Maklumat lanjut

- Rupa dan warna produk

Larutan sirap yang jernih, berwarna oren dan berperisa oren.

- Bahan-bahan

Bahan-bahan aktif

Setiap 5ml mengandungi Paracetamol 120mg

Bahan-bahan tidak aktif

Metil Hidroksibenzoat, Propil Hidroksibenzoat, Sodium Benzoat, Sodium Sakarin, Gula, Propilen Glikol, Larutan Sorbitol, Gliserin, Sodium Metabisulfit, Sunset Yellow, Jus Orange.

- Nombor MAL:

MAL19912816XZ

Pengilang dan Pemegang Pendaftaran Produk

WINWA MEDICAL SDN. BHD.

1952, Lorong I.K.S. Bukit Minyak 3, Taman I.K.S. Bukit Minyak, 14000 Bukit Mertajam, Pulau Pinang, Malaysia.

Tarikh kemaskini RiMUP

21/6/2018

Nombor siri

NPRA(R4/1)220618/00180