

Juyanko Cream

Consumer Medication Information Leaflet (RiMUP)

Chlorhexidine Gluconate 20% Solution 1%v/w

What is in the leaflet

1. What Juyanko Cream is used for
2. How Juyanko Cream works
3. Before you use Juyanko Cream
4. How to take Juyanko Cream
5. While you are using it
6. Side Effects
7. Storage and Disposal of Juyanko Cream
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Juyanko Cream is used for

Juyanko Cream is used for insect bites, skin rashes, cuts and abrasions. Upon application, it produces a feeling of coolness and relieves discomfort.

How Juyanko Cream works

Juyanko Cream is effective against a wide range of vegetative gram positive and gram negative bacteria and active at a neutral or slightly alkaline pH.

Before you use Juyanko Cream

- When you must not take it

Do not take if you are hypersensitivity to Chlorhexidine Gluconate or any other ingredients in this product.

- Before you start to use it

This product is contraindicated in children under 2 years of age. Caution must be exercised when older children are treated.

- Taking other medicines

Do not use other skin products on the affected area.

How to take Juyanko Cream

- How much to take

Apply to the affected area 2 to 3 times per day.

- When to take it

You should follow the recommended dose and should not take more than the prescribed dose.

- How long to take it

If no improvement is observed, patients should stop application and consult doctor.

- If you forget to take it

If you forget to take Juyanko Cream, take it as soon as you remember.

- If you take too much (overdose)

No specific antidote is available. In the event of accidental ingestion, the patient should be observed and treat symptomatically.

Contact your doctor immediately or your nearest hospital for medical advice.

While you are using Juyanko Cream

- Things you must do

Check with your doctor if symptoms persist or getting worse.

- Things you must not do

Do not take Juyanko Cream to treat any other conditions unless your doctor or pharmacist tells you so.

- Things to be careful of

It is dangerous to place any camphor containing product into the nostrils of children. A small amount applied this way may cause immediate collapse.

Juyanko Cream contains chlorhexidine. Chlorhexidine is known to induce hypersensitivity, including generalised allergic reactions and anaphylactic shock. The prevalence of chlorhexidine hypersensitivity is unknown, but available literature suggests this is likely to be very rare. Juyanko Cream should not be administered to anyone with a possible history of an allergic reaction to chlorhexidine.

If any signs or symptoms of a suspected hypersensitivity reaction such as itching, skin rash, redness, swelling, breathing difficulties, light headedness, and rapid heart rate develop, immediately stop using the product. Appropriate therapeutic countermeasures must be instituted as clinically indicated.

Side Effects

Skin sensitive is unlikely to happen.

Immune system disorders
Frequency not known: Hypersensitivity including anaphylactic shock.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835550, or visiting the website portal.bpfk.gov.my (Consumers → Reporting)

Storage and Disposal of Juyanko Cream

- Storage

- Store below 30°C.
- Protect from light.
- Keep out of reach of children.

- Disposal

Do not take this after the expiry date. An expiry date is printed on the label and box of the medicine.

Product Description

- What it looks like

Juyanko Cream is a white smooth cream.

- Ingredients

Active ingredient
Chlorhexidine Gluconate 20% Solution 1%v/w

Inactive ingredients
Propyl Hydroxybenzoate, Methyl Hydroxybenzoate, Menthol, Methyl Salicylate, Liquid Paraffin, Cetomacrogol Emulsifying Wax, Camphor, Purified Water qs

- MAL Number:

MAL19912765XZ

Manufacturer and Product Registration Holder

Winwa Medical Sdn Bhd
1952, Lorong I.K.S. Bukit Minyak 3,
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

Date of revision

4 July 2017

X.EJY-PIL.01