

NOXWORM CHEWTAB

Albendazole (200mg)

What is in the leaflet

1. What Noxworm Chewtab is used for
2. How Noxworm Chewtab works
3. Before you use Noxworm Chewtab
4. How to take Noxworm Chewtab
5. While you are using it
6. Side Effects
7. Storage and Disposal of Noxworm Chewtab
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Noxworm Chewtab is used for
Noxworm Chewtab is used to treat worm infection such as threadworm, whipworm, roundworm, hookworm and tapeworm.

How Noxworm Chewtab works

Noxworm Chewtab contains albendazole which alter the cells of the worm thus this blocks the glucose uptake thereby less glucose uptake will directly reduce energy level required for survival. Due to less energy production, the parasite is immobilized and eventually dies.

Before you use Noxworm Chewtab

- When you must not take it

Do not take Noxworm Chewtab if:

- You are allergic to albendazole or similar medicines or any of the ingredients in this medicine.
- You are pregnant or suspected to be pregnant.

- Before you start to use it

It may cause fetal harm; therefore, women of childbearing age should only begin the treatment:

- after a negative pregnancy test, or
- within 7 days after start of menstruation

Breast-feeding women should discuss with their doctor before taking Noxworm Chewtab as extent of secretion in breast milk is not known.

- Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

Tell your doctors if you are taking these medicines as it may interact with Noxworm chewtab:

- Dexamethasone (a type of steroid)
- Praziquantel (anti-worm medication)
- Cimetidine (medicine to treat gastric, stomach/ ulcer and heartburn)

How to take Noxworm Chewtab

- How much to take

Follow all directions given to you by your doctor and pharmacist carefully. They may differ from the information contained in this leaflet. If you do not understand the instructions on the label, ask your doctor or pharmacist for help.

Noxworm Chewtab is for oral administration.

For infestation of threadworm, whipworm, roundworm and hookworm infestation:

Adults & children above 2 years: Chew 2 tablets as a single dose.

Children 1 to 2 years: Chew 1 tablet as a single dose.

For infestation of tapeworm and threadworm (strongyloides):

Adults & children above 2 years:

Chew 2 tablets once daily for 3 consecutive days.

Children 1 to 2 years:

Chew 1 tablet once daily for 3 consecutive days.

The dose may be repeated in 2 to 3 weeks if infestations persist or recur.

- When to take it

Take Noxworm Chewtab as directed by your doctor or pharmacist.

- How long to take it

Take Noxworm Chewtab as directed by your doctor or pharmacist.

If symptoms persist, please consult a doctor.

- If you forget to take it

Consult your doctor or pharmacist you should do if you forget to use it. Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

- If you take too much (overdose)

You may experience gastrointestinal symptoms such as nausea, vomiting, diarrhoea and abdominal pain.

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using Noxworm Chewtab

- Things you must do

Tell all the doctors, dentists and pharmacists treating you that you are taking Noxworm Chewtab.

Tell your doctor immediately if you become pregnant while taking this medication.

All family members and others in close contact should be treated at the same time to prevent reinfestation.

- Things you must not do

Do not stop taking the medicine unless advised by your doctor.

Do not take any new medicines without consulting your doctor or pharmacist.

Do not give Noxworm chewtab to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

Noxworm Chewtab contains aspartame, thus it is unsuitable for phenylketonurics.

Side Effects

Albendazole is generally well tolerated. Symptoms reported include gastrointestinal symptoms and headache.

Visit your doctor or pharmacist immediately if you experience any side effects after using this medicine.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring visiting the website <http://npra.gov.my> [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)]

Storage and Disposal of Noxworm Chewtab

- Storage

- Store below 30°C.
- Protect from light and moisture.
- Keep out of reach of children.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

Brown colour, flat, round uncoated tablet with chocolate flavour.

- Ingredients

- Active Ingredient
Albendazole

- Inactive Ingredients

Microcrystalline cellulose, isomalt, magnesium aluminometasilicate, colloidal silicon dioxide, precipitated silicon dioxide, chocolate flavour, vanilla flavour, cocoa powder, aspartame, , magnesium stearate.

- MAL Number:

MAL05121193XZ

Manufacturer and Product

Registration Holder

Winwa Medical Sdn. Bhd.
1952, Lorong I.K.S. Bukit Minyak 3,
Taman I.K.S. Bukit Minyak,
14000 Bukit Mertajam,
Pulau Pinang, Malaysia.

Date of revision

31/10/2023

Serial Number:

NPRA(R4/1)300623/00057