

WINGESIC 650 TABLET

Paracetamol (650mg)

What is in the leaflet

1. What Wingesic 650 Tablet is used for
2. How Wingesic 650 Tablet works
3. Before you use Wingesic 650 Tablet
4. How to take Wingesic 650 Tablet
5. While you are using it
6. Side Effects
7. Storage and Disposal of Wingesic 650 Tablet
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Wingesic 650 Tablet is used for

Wingesic 650 Tablet is used for the relief of fever, headache, toothache and mild to moderate pain including dysmenorrhea, conditions involving musculoskeletal pain, myalgias, neuralgias, analgesic after tooth extraction and in teething and earache.

How Wingesic 650 Tablet works

Wingesic 650 Tablet contains Paracetamol which belongs to a group of medicines called analgesic and antipyretic that helps to ease pain and reduce fever. It is rapidly and completely absorbed following oral administration and will exert its effect between 30 minutes to 2 hours later. This effect could last for 3 to 4 hours.

Before you use Wingesic 650 Tablet

- When you must not take it

Do not take this product if you are allergic (hypersensitivity) to Paracetamol or any other ingredients in this product.

- Before you start to use it

This medicine should be given with care to patients with impaired liver or kidney function and to patients taking other drugs that affect the liver.

- Taking other medicines

You should always check with your doctor if your child is taking any of these medicines:
 Drugs that induce liver microsomal enzymes, Metoclopramide, Probenecid, Cholestyramine and Anticoagulant (e.g. Warfarin).

How to take Wingesic 650 Tablet

- How much to take

Adults and children above 12 years:
 Take 1 tablet every 4 to 6 hours. (Do not exceed 6 tablets per day)

Do not exceed the recommended dose unless advised by a doctor.

- When to take it

May be taken with or without food.

- How long to take it

Take as directed by your doctor or pharmacist.

- If you forget to take it

If you forget to give Wingesic 650 Tablet to your child, give it as soon as you remember. Never double up on the next dose to make up for the one missed.

- If you take too much (overdose)

In case of overdose, prompt specific treatment is essential.

Call National Poison Centre (1800 888 099) or your doctor or go to the accident and emergency centre at your nearest hospital immediately.

While you are using Wingesic 650 Tablet

- Things you must do

Do not exceed the recommended dosage and continual use should not exceed 5 days at a time (10 days for adult), without physician guidance.
 If symptoms persist, please consult a doctor.

- Things you must not do

Do not take this product to treat any other conditions unless it has been prescribed by your doctor.

- Things to be careful of

This preparation contains Paracetamol. Do not take any other Paracetamol containing medicines at the same time.

Side Effects

Allergy alert: Paracetamol may cause severe skin reactions. Symptoms may include skin reddening, blisters or rash. These could be signs of a serious condition. If these reactions occur, stop use and seek medical assistance right away.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835490, or visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Wingesic 650 Tablet

- Storage

- Store below 30°C.
- Protect from light.
- Keep container tightly closed.
- Keep out of reach of children.

- Disposal

Do not take this after the expiry date. An expiry date is printed on the label of the medicine.

Product Description

- How it looks like

Wingesic 650 Tablet is a light yellow coloured, biconvex and hexagon shaped uncoated tablet. Source of gelatin is from bovine. It is available in bottle of 90's.

- Ingredients

Active Ingredients

Each tablet contains Paracetamol 650mg

Inactive Ingredients

Colour Certolake Quinoline Yellow, Gelatin, Colloidal Silicon Dioxide, Magnesium Stearate and Corn Starch

- MAL Number:

MAL06081399XZ

Manufacturer and Product Registration Holder

WINWA MEDICAL SDN. BHD.
 1952, Lorong I.K.S. Bukit Minyak 3,
 Taman I.K.S. Bukit Minyak,
 14000 Bukit Mertajam,
 Pulau Pinang, Malaysia.

Date of revision

02/04/2019

Serial Number:

NPRA(R4/1)XXXXXX/XXXXX

X.LWG-PIL.01