

COUNTERPAIN ANALGESIC BALM

Methyl Salicylate/Menthol/Eugenol (10.2%w/w / 5.44%w/w / 1.36%w/w)

What is in this leaflet

1. What COUNTERPAIN is used for
2. How COUNTERPAIN works
3. Before you use COUNTERPAIN
4. How to use COUNTERPAIN
5. While you are using COUNTERPAIN
6. Side effects
7. Storage and Disposal of COUNTERPAIN
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of Revision

This leaflet answers some common questions about COUNTERPAIN. It does not contain all the available information. It does not take the place of talking to your pharmacist or doctor.

All medicines have risks and benefits. Your pharmacist or doctor has weighed the risks of you taking COUNTERPAIN against the benefits they expect it will have for you.

If you have any concerns about taking this medicine, ask your pharmacist or doctor.

Keep this leaflet with the medicine.

You may need to read it again.

What COUNTERPAIN is used for

COUNTERPAIN is used to temporary relief of minor aches and pains of the muscles and joints associated with strains, bruises and sprains).

How COUNTERPAIN works

COUNTERPAIN contains the active ingredients Menthol, Methyl Salicylate and Eugenol.

Methyl Salicylate is an organic ester that is naturally produced by many species of plants but it can also be made synthetically. It is used topically as a counter-irritant. It works by causing the skin to feel cool and then warm. These feelings on the skin distract you from pain sensation.

Menthol is an organic compound that occurs naturally in mint plants, but it can also be made synthetically. Menthol dilates the blood vessels, causing a sensation of coldness followed by pain relief effect.

Eugenol is an irritant and sensitiser and can produce local pain relief.

Before you use COUNTERPAIN

-When you must not use it

Do not use COUNTERPAIN:

- If you are allergic to any components in this preparation.

-Before you start to use it

Tell your pharmacist or doctor:

- If you are pregnant, might become pregnant or are breastfeeding.

-Taking other medicines

Tell your pharmacist or doctor if you are taking any other products (such as over the counter product, prescribed medicine and herbal products).

Do not over apply this medication to skin for individuals taking warfarin,

due to it may increase the chances of bleeding.

How to use COUNTERPAIN

-How much to use

For external use only. Apply a thin layer to affected area.

-When to use it

Use 2-3 times per day or as directed by your doctor or pharmacist.

-How long to use it

If condition worsens or does not improve after regular use of this product as directed, consult a doctor.

-If you forget to use it

If you miss a dose, use it as soon as you remember.

-If you use too much (overdose)

If, by mistake on a few occasions you use more than you should, do not worry. If you apply a lot or a lot is accidentally swallowed, it could make you ill. Talk to your doctor or go to the hospital as soon as possible.

While you are using COUNTERPAIN

-Things you must do

If you are about to start taking on any other new medicine, tell your pharmacist or doctor that you are using COUNTERPAIN.

-Things you must not do

Do not give COUNTERPAIN to anyone else, even if they have the same symptoms or condition as you.

-Things to be careful of

If irritation or sensitivity occurs, treatment should be discontinued. Advise to consult doctor if no improvement is seen.

Side effects

Like all medicines, COUNTERPAIN ANALGESIC BALM can cause side effects, although not everybody gets them. As with all medicines, some people may be allergic to the cream.

If any side effect becomes severe, or you notice any side effect not listed here, please tell your doctor or pharmacist.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by calling Tel: 03-78835549, or visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of COUNTERPAIN

-Storage

Store below 30°C. Keep in a cool dry place, protected from light. Keep out of reach of children.

-Disposal

Dispose the medicine after the expiry date. Consult your pharmacist on how to safely dispose of any medicines no longer required.

Product description

-What it looks like

COUNTERPAIN is a white to nearly white, smooth, soft cream with a strong odor of methyl salicylate, available in 15g, 30g, 60g and 120g.

-Ingredients

Active ingredients:
Each tube contains 10.2%w/w of Methyl Salicylate, 5.44%w/w of Menthol and 1.36%w/w of Eugenol.

Inactive ingredients:
Glyceryl Monostearate, G 1726, Carbopol 934, Sodium Hydroxide, Antifoam, Sodium Lauryl Sulphate and Purified Water.

-MAL number: MAL19910746X

Manufacturer

PT Taisho Pharmaceutical Indonesia Tbk., Depok, Indonesia.

Product Registration Holder

HOE Pharmaceuticals Sdn. Bhd.
Lot 10, Jalan Sultan Mohd. 6,
Bandar Sultan Suleiman,
42000 Port Klang, Selangor,
Malaysia.

Date of revision

28/11/2018

Serial Number:

NPRA(R4/1)191118/00339

COUNTERPAIN ANALGESIC BALM

Methyl Salicylate/Menthol/Eugenol (10.2%w/w / 5.44%w/w / 1.36%w/w)

Apakah yang ada pada risalah ini

1. Apakah kegunaan COUNTERPAIN
2. Bagaimana COUNTERPAIN berfungsi
3. Sebelum menggunakan COUNTERPAIN
4. Cara menggunakan COUNTERPAIN
5. Semasa menggunakan COUNTERPAIN
6. Kesan-kesan sampingan
7. Cara penyimpanan dan pelupusan COUNTERPAIN
8. Maklumat lanjut
9. Pengilang dan Pemegang Pendaftaran Produk
10. Tarikh kemaskini RiMUP

Risalah ini menjawab beberapa soalan lazim tentang COUNTERPAIN. Ia tidak mengandungi semua maklumat yang tersedia. Ia juga tidak menggantikan tempat ahli farmasi atau doktor anda.

Semua ubat mempunyai risiko dan manfaat. Ahli farmasi atau doktor anda telah mempertimbangkan risiko anda menggunakan COUNTERPAIN berbanding manfaat yang mereka jangka untuk anda.

Jika anda mempunyai sebarang kemusykilan tentang pengambilan ubat ini, tanya ahli farmasi atau doktor anda.

Simpan risalah ini bersama ubat. Anda mungkin perlu membacanya lagi.

Apakah kegunaan COUNTERPAIN

COUNTERPAIN digunakan untuk kelegaan sementara untuk sakit ringan dan sakit otot serta sendi seperti ketegangan, lebam dan terseliuh.

Bagaimana COUNTERPAIN berfungsi

COUNTERPAIN mengandungi bahan-bahan aktif Menthol, Methyl Salicylate dan Eugenol.

Methyl Salicylate adalah organik ester semulajadi yang dihasilkan oleh pelbagai spesis tumbuhan tetapi ia juga boleh dibuat secara sintetik. Ia digunakan secara topikal sebagai tindakbalas-perengsa. Ia berfungsi dengan menyebabkan kulit berasa sejuk dan kemudian hangat. Perasaan seperti ini pada kulit dapat mengalihkan perhatian anda dari rasa sakit.

Menthol adalah sejenis bahan organik yang wujud secara semula jadi dalam tumbuh-tumbuhan pudina, tetapi ia juga boleh dibuat secara sintetik. Menthol mengembangkan saluran darah, menyebabkan rasa kesejukan diikuti dengan kesan melegakan sakit.

Eugenol adalah perengsa dan pemeka dan boleh menghasilkan kesan melegakan sakit pada kawasan yang disapu.

Sebelum mengguna COUNTERPAIN

-Bila tidak boleh menggunakan

Jangan menggunakan COUNTERPAIN:

- Jika anda alah apa-apa bahan dalam ubat ini.

-Sebelum mula menggunakan

Maklumkan ahli farmasi atau doktor anda:

- Jika anda hamil, menyusu atau bercadang untuk hamil.

-Jika mengambil ubat-ubat lain

Maklumkan ahli farmasi atau doktor anda sekiranya anda sedang mengambil apa-apa ubat lain (misalnya ubat yang dibeli tanpa preskripsi doktor, ubat yang dipreskripsikan dan produk-produk herba).

Jangan menggunakan ubat ini pada kulit untuk individu yang sedang mengambil warfarin kerana ianya mungkin mengakibatkan pendarahan.

Cara menggunakan COUNTERPAIN

-Berapa banyak harus digunakan

Untuk kegunaan luar sahaja. Sapukan satu lapisan nipis pada bahagian yang terjejas.

-Bila perlu digunakan

Gunakan 2-3 kali sehari atau seperti yang diarahkan oleh doktor atau ahli farmasi anda.

-Berapa lama perlu digunakan

Jika keadaan menjadi lebih teruk atau tidak bertambah baik selepas penggunaan tetap produk ini seperti yang diarahkan, dapatkan nasihat doktor.

-Jika terlupa menggunakan

Ambil dos yang terlepas sebaik sahaja anda mengingatnya.

-Jika menggunakan secara berlebihan (terlebih dos)

Jika anda beberapa kali tersilap menggunakan lebih daripada yang anda perlu, jangan bimbang. Jika anda sapu terlalu banyak atau tertelan, ia boleh membuat anda

tidak sihat. Berbincang dengan doktor anda atau pergi ke hospital secepat mungkin.

Semasa menggunakan COUNTERPAIN

-Perkara yang perlu dilakukan

Jika anda akan mula mengambil sebarang ubat baru yang lain, beritahu doktor atau ahli farmasi anda bahawa anda sedang menggunakan COUNTERPAIN.

-Perkara yang tidak boleh dilakukan

Jangan memberi COUNTERPAIN kepada sesiapa, walaupun mereka mempunyai simptom atau keadaan yang sama dengan anda.

-Perkara yang perlu diberi perhatian

Jika kerengsaan atau sensitiviti berlaku, rawatan perlu dihentikan. Nasihat untuk berjumpa dengan doktor jika tidak bertambah baik.

Kesan-kesan sampingan

Seperti semua ubat-ubatan, COUNTERPAIN ANALGESIC BALM boleh menyebabkan kesan sampingan, walaupun bukan semua orang akan mengalaminya. Seperti semua ubat-ubatan, sesetengah orang mungkin alah terhadap krim.

Jika kesan sampingan bertambah teruk atau anda mengalami kesan sampingan yang tidak tersebut di atas, sila jumpa dengan doktor atau ahli farmasi anda.

Anda boleh melaporkan sebarang kesan sampingan atau kesan advers ubat terus kepada Pusat Pemantauan Kesan Advers Ubat Kebangsaan melalui No. Tel: 03-78835549, atau laman web nppra.gov.my [*Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)*].

Cara penyimpanan dan pelupusan COUNTERPAIN

-Penyimpanan

Simpan di bawah suhu 30°C. Simpan di tempat kering dan sejuk serta terlindung daripada cahaya. Simpan jauh daripada kanak-kanak.

-Pelupusan

Lupuskan ubat selepas tarikh luput. Sila dapatkan nasihat ahli farmasi tentang cara pelupusan sebarang ubat yang tidak digunakan lagi.

Maklumat lanjut

-Rupa dan warna

COUNTERPAIN adalah krim putih hingga hampir putih, licin, krim lembut dengan bau Methyl Salicylate yang kuat, boleh didapati dalam tiub 15g, 30g, 60g dan 120g.

-Bahan-bahan kandungan

Bahan-bahan aktif:

Setiap tiub mengandungi 10.2%w/w Methyl Salicylate, 5.44%w/w Menthol dan 1.36%w/w Eugenol.

Bahan-bahan tidak aktif:

Glyceryl Monostearate, G 1726, Carbopol 934, Sodium Hydroxide, Antifoam, Sodium Lauryl Sulphate dan Purified Water.

-Nombor MAL: MAL19910746X

Pengilang

PT Taisho Pharmaceutical Indonesia Tbk., Depok, Indonesia.

Pemegang Pendaftaran Produk

HOE Pharmaceuticals Sdn. Bhd.
Lot 10, Jalan Sultan Mohd. 6,
Bandar Sultan Suleiman,
42000 Port Klang, Selangor,
Malaysia.

Tarikh kemaskini RiMUP

28/11/2018

Nombor Siri:

NPRA(R4/1)191118/00339