
HOE
EST. 1979
Beprosalic lotion
Betamethasone dipropionate USP plus Salicylic acid BP lotion
Please refer to enclosed leaflet for precautions / warnings / contraindications
FOR EXTERNAL USE ONLY
Keep container well closed.
Protect from light.
Store below 30°C.
Keep out of reach of children.
Jauhi daripada kanak-kanak.
Beprosalic lotion
Directions :
Apply to the affected area two times daily or as directed by doctor or pharmacist.
Route of administration: Topical
CONTROLLED MEDICINE
Lao Reg. No.: 03I2529/05
MAL20021135AZ
SIN13316P
BRU08120177P
LOT:
MFG:
EXP:
HOE
EST. 1979
Beprosalic lotion
Betamethasone dipropionate USP plus Salicylic acid BP lotion
30ml
Active Ingredients :
Betamethasone dipropionate USP 0.064%w/v
(Equivalent to Betamethasone 0.05%)
Salicylic acid BP 2.0%w/v
Preservative :
Methyl Paraben USP 0.1%w/v
Product Registration Holder/Manufacturer:
HOE Pharmaceuticals Sdn. Bhd.
EST. 1979
Lot 10, Jalan Sultan Mohamed 6,
Bandar Sultan Suleiman,
42000 Port Klang, Selangor,
MALAYSIA.
Beprosalic lotion
Betamethasone dipropionate USP plus Salicylic acid BP lotion