

Zellox-II is indicated for relief from gastric acidity, indigestion, heartburn, flatulence and dyspepsia.

Usual Dosage: Take 5-10ml as required or one hour after food and at bedtime or as directed by your physician. If symptoms persist, please consult your doctor or pharmacist.

**Shake well before use. Keep container well closed. Refrigerate after opening. Consume within 10 days. Store below 30°C. Protect from light. Keep out of reach of children. For oral use only.**

MAL11045011X  
BRU15021769NP  
R2208A5761

Product Registration Holder/Manufacturer:



**HOE Pharmaceuticals Sdn. Bhd.**  
Lot 10, Jalan Sultan Mohamed 6,  
Bandar Sultan Suleiman,  
42000 Port Klang, Selangor,  
MALAYSIA.



Peppermint &  
Ice Cream Soda  
Flavour

# Zellox-II Liquid Antacid

## 2X STRENGTH

for relief of stomach discomfort

- ▲ Gastric Acidity
- ▲ Indigestion
- ▲ Flatulence (Wind)
- ▲ Heartburn
- ▲ Dyspepsia



Setiap 10ml mengandungi / Each 10ml contains:	
Aluminium Hydroxide	800mg
Magnesium Hydroxide	800mg
Simethicone	60mg

Membantu melegakan keasidan gastrik, tidak hadam, pedih hati, kembung, dan dyspepsia.

Sukatan Biasa: 5-10ml apabila perlu atau satu jam selepas makan dan waktu hendak tidur atau seperti yang diarahkan oleh doktor. Jika simptom berterusan, sila hubungi doktor atau ahli farmasi anda.

**Goncang dahulu sebelum guna. Tutup botol dengan rapat. Simpan di peti sejuk selepas buka. Guna dalam tempoh 10 hari. Simpan dibawah 30°C. Lindungi dari cahaya. Jauhi daripada kanak-kanak. Untuk kegunaan oral sahaja.**

健胃乐消除由“风”导致的胃痛，胃灼热及胃部不适。需要时服5-10ml或睡前一小时，临睡前或者听从医生的指示。若症状不止，请联络您的医生或药剂师。

摇匀后服。请确保瓶盖关紧。使用后请冷藏。请在10天内服用。储放在温度低于30°C的地方。防止阳光直射。请避免儿童触及。只宜口服。

LOT :

MFQ :

EXP :