20 ml vial

BEMUNAT 25

Bendamustine Hydrochloride 25 mg Powder for Concentrate for Solution for Infusion

Sterile Single- Use Vial

For Intravenous infusion After Dilution

Reconstitution and Dilution Required.
Retain in carton until time of use

CAUTION : CYTOTOXIC AGENT

Each vial contains:
Bendamustine Hydrochloride 25 mg

Dosage: As directed by the Physician.

For directions for use, see Package leaflet.

Unopened Vial: Store below 30°C. Keep the vial in the outer carton in order to protect from light.

After opening: The powder should be reconstituted immediately with water for injection (WFI) after opening of the vial.The reconstituted concentrate should be diluted immediately with 0.9% w/v sodium chloride solution.
Solution for Infusion: After reconstitution and dilution, the solution should be used immediately. If not used immediately, in-use storage times and conditions prior to use are the responsibility of the user.

Keep out of sight and reach of children
Jauhkan daripada kanak - kanak

Controlled Medicine / Ubat Terkawal

Cytotoxic Agent – Use caution during handling and preparation. Use of gloves and safety glasses is recommended to avoid exposure (see insert for details).

B. No. : 1234567
Mfg. date : MM/YYYY
Exp. date : MM/YYYY

Unvarnished area

Reg No.: MAL25046020AZ

Manufactured By:
Natco Pharma Limited,
Pharma Division, Unit V,
Kothur, Rangareddy District,
Telangana 509228
India.

Product Registration Holder:
Perniagaan Normahas Sdn Bhd
1-5-10, Block G, Diamond Square,
Jalan 1/50, melalui Jalan Gombak,
53000 Kuala Lumpur.

M.L.: 164/MN/AP/95/F/R

40100928

A/s: 65 x 30 mm Bendamustine 25 mg Label 06/05/2025 Pantone 032 C, Pantone 072 C, 7691C, 265 C black