

IKOP iSalic™ Ointment

Methyl salicylate (25% w/w), menthol (3% w/w), camphor (3% w/w)

What is in this leaflet

1. What IKOP iSalic™ Ointment is used for
2. How IKOP iSalic™ Ointment works
3. Before you use IKOP iSalic™ Ointment
4. How to use IKOP iSalic™ Ointment
5. While you are using IKOP iSalic™ Ointment
6. Side effects
7. Storage and disposal of IKOP iSalic™ Ointment
8. Product description
9. Manufacturer
10. Product Registration Holder
11. Date of revision

What IKOP iSalic™ Ointment is used for

IKOP iSalic™ Ointment is used for temporary relief for mild to moderate muscular and joint pains, muscle cramps, shoulder aches, uncomfortable neck and back muscle pain.

How IKOP iSalic™ Ointment works

IKOP iSalic™ Ointment acts topically to overcome pain, ache and irritancy. This medication contains active ingredients that act on receptors and chemical pathway causing pain. It also dilates blood vessels that gives rise to the cold sensation and followed with numbing sensation.

Before you use IKOP iSalic™ Ointment

When you must not use it

Do not use this if you are allergic to any of the ingredients contained inside the medication.

Careful when using the medication if you are pregnant, planning to get pregnant or probably pregnant, and if you are breastfeeding.

This product is not for children below 2 years.

Before you start to use it

Wash your hands before and after use. Do not apply on sensitive areas such as eyes, nostrils and lips. If occurs, rinse with water immediately.

Taking other medicines

Inform your doctor if you are using other medications, including other products that you bought from pharmacies, supermarket etc.

For patients using warfarin, excessive usage of IKOP iSalic™ Ointment topically can increase the risk of bleeding.

How to use IKOP iSalic™ Ointment

How much to use

Apply on knees, muscles, joints or other painful areas. For external use only. Apply 3 to 4 times a day or if necessary.

When to use

Use as directed by your pharmacist or doctor.

How long to use

Apply IKOP iSalic™ Ointment when necessary on knees, muscles, joints or other painful areas.

If you forget to use it

If you forget to apply the medicine, you can apply it as soon as you remember.

If you use too much (overdose)

If you experienced the overdose symptoms (such as dizziness, tinnitus (ringing in the ears), deafness, sweating, confusion, nausea and vomiting, vertigo (headache), ataxia (difficulty in moving)), reduce the amount used. However, if you experienced more severe symptoms such as hyperventilation, fever and restlessness, please contact your doctor or visit the nearest hospital immediately.

While you are using IKOP iSalic™ Ointment

Things you must do

Start by applying the medication in small amount on the skin and see if there is any discomfort or itchiness before continuing use in the right amount. Discontinue use if any allergic symptoms occur.

Things you must not do

Do not ingest this medication. Avoid direct application into eyes, nostrils and lips when using it. Avoid applying into open wounds or damaged skin.

Things to be careful of

This product is strictly for external use only.

Side effects

This product can cause convulsions, headache, dizziness, nausea and vomiting, skin irritation, contact dermatitis, rash, itching, redness or swelling, burning or stinging sensation. Other than that, it may cause allergic reactions in some individuals with sensitive skin.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [*Consumers* → *Reporting Side Effects to Medicines (ConSERF)* or *Vaccines (AEFI)*].

Storage and disposal of IKOP iSalic™ Ointment

Storage

Store below 30°C. Keep container well closed and avoid exposing iSalic™ to direct sunlight.

Disposal

Medicine should not be disposed of via wastewater or household waste. Ask your pharmacist on how to dispose when no longer used.

Product Description

What it looks like?

Whitish to pale yellow ointment with aromatic odour of methyl salicylate and camphor with cool sensation of menthol.

Ingredients

Active

- Methyl salicylate
- Camphor
- Menthol

Inactive

- Beeswax
- Petroleum Jelly

MAL No:

MAL20046145X

Product Registration Holder & Manufacturer

IKOP Sdn Bhd,
Jalan Sultan Ahmad Shah,
25200, Kuantan, Pahang,
Malaysia.
Tel: +6095716684

Date of revision

02/12/2020

Serial Number

NPRA(R2/1)201218/582