

TIEH LO HONG QIANLI ZHUIFENG MEDICATED OIL MAL xxxxxxxx X

Product description: dark brownish colour liquid with aromatic odour.

Contents:

Turpentine oil 21.50% w/w, Methyl salicylate 19.00% w/w,
Peppermint oil 6.80% w/w, Cinnamon leaf oil 4.00%w/w,
minerial oil qs to 100%

Indication: For symptomatic relief of mild to moderate joint and muscular pain, rheumatic pain, minor bruises and sprains.

Use instructions:

Adults & children above 12 years old:

Clean affected parts with warm water, wipe dry. Apply to the affected area and rub gently; not more than 3 times daily.

Shake well before use.

WARNING AND PRECAUTIONS

Children suffering from flu, chickenpox or fever should avoid using this product because salicylates may induce Reyes Syndrome.

Avoid contact with the eyes, mucous membranes or rashes.

Do not apply on wounds or damaged skin.

Do not apply over large areas of the body or bandage or use with heating pads.

If symptoms persist, consult your doctor.

Drug interaction:

This product contains methyl salicylate and when applied or rubbed on to the skin, can be absorbed through the skin into the blood. For patients taking warfarin, excessive application on to the skin for muscle or joints pains may increase the chances of bleeding.

Pregnancy and lactation:

No significant problems have been reported though, as with all medicines, it should be used under medical supervision in pregnant or lactating women.

Contraindication:

- 1) Do not use in patients with aspirin or salicylate idiosyncrasy.
- 2) Hypersensitivity to any of the ingredients in the product.

Side effects:

Temporary skin reactions such as redness, burning sensation, rashes may occur. Application site burns have been reported. Frequency unknown.

Symptoms and treatment of overdose:

Over dosage may result in skin irritation.

Misuse:

Swallowing of the ointment might cause gastrointestinal symptoms like vomiting and diarrhoea. Treatment is symptomatic. Acute poisoning was observed after significant accidental consumption, with nausea, vomiting, abdominal pain, and headache, vertigo, feeling hot /flushing, convulsions, respiratory depression and coma.

Patients with severe gastrointestinal or neurological symptoms of poisoning should be observed and treated symptomatically.

Do not induce vomiting.

Storage conditions:

Store below 30 °C.

Protect from light and moisture.

Shelf life:

2 years

Pack size:

40ml x 1 bottle

Route of administration: Topical

For external use only.

Product Registration Holder and Manufacturer :

WTH PHARMACEUTICAL SDN. BHD.

11-A, Lintang Beringin 1, Diamond Valley

Ind.Park, Batu Maung 11960 Pulau Pinang