

Baxter

10 x 650 mL

IYDB3WH1C**OLIMEL N12E, emulsion for infusion**

FOR CENTRAL INTRAVENOUS ADMINISTRATION

Formula for 650 mL after mixing:

Refined olive oil + refined soybean oil ^a	22.75 g
Alanine	7.14 g
Arginine	4.84 g
Aspartic acid	1.43 g
Glutamic acid	2.46 g
Glycine	3.42 g
Histidine	2.94 g
Isoleucine	2.46 g
Leucine	3.42 g
Lysine acetate (equivalent to lysine)	5.48 g (3.88) g
Methionine	2.46 g
Phenylalanine	3.42 g
Proline	2.94 g
Serine	1.95 g
Threonine	2.46 g
Tryptophan	0.82 g
Tyrosine	0.13 g
Valine	3.16 g
Sodium acetate, trihydrate	0.97 g
Sodium glycerophosphate, hydrated	2.39 g
Potassium chloride	1.45 g
Magnesium chloride, hexahydrate	0.53 g
Calcium chloride, dihydrate	0.34 g
Glucose monohydrate	52.43 g
(equivalent to glucose)	(47.67 g)

650 mL of the final mixture provides the following:

Lipids	22.8 g
Amino acids	49.4 g
Nitrogen	7.8 g
Glucose	47.7 g
Energy:	
Total calories approx.	620 kcal
Non-protein calories	420 kcal
Glucose calories	190 kcal
Lipid calories a	230 kcal
Non-protein calories / nitrogen ratio	53 kcal/g
Glucose / lipid calories ratio	45/55
Lipid / total calories	37%
Electrolytes:	
Sodium	22.8 mmol
Potassium	19.5 mmol
Magnesium	2.6 mmol
Calcium	2.3 mmol
Phosphate b	9.5 mmol
Acetate	46 mmol
Chloride	30 mmol
pH	6.4
Osmolarity	1,270 mOsm/L

a: Includes calories from purified egg phospholipids (source: chicken egg yolk)

b: Includes phosphate provided by the lipid emulsion

BE2503497_V01_D2

(01)50085412676338(17)999999(10)XXXXXXXXXXXXXXX



BE2503497

a: Mixture of refined olive oil (approximately 80%) and refined soybean oil (approximately 20%) corresponding to a ratio essential fatty acids / total fatty acids of 20%.

EXP: 99/9999

Lot: XXXXXXXXXXXXXXX

Mfg Date: 99/9999