

| BAXTER CONFIDENTIAL - INTERNAL USE ONLY | | |
|---|---------------|-------------------|
| Part Number: BE3504171 | Date: 30JUN22 | Proofread No.: 06 |
| Designer: Z.B. | Page: 1 of 1 | |
| Colour Reference: | BLACK | |

IYDB3WH1C
Baxter

Central Vein

With
Electrolytes

For single use only
Read the package leaflet before use
Keep out of the sight and reach of children
Jauhi Daripada Kanak-Kanak
Controlled Medicine / Ubat Terkawal
Store below 30°C

Do not freeze
Store in the overpouch
Chemical and physical in-use stability has been demonstrated for 7 days at 2°C- 8°C followed by 48 hours at temperature not exceeding 30°C.

Do not infuse before, simultaneously or after administration of blood through the same equipment

Use only if the amino acid and glucose solutions are clear, the lipid emulsion and the final mixture after reconstitution are homogenous and with a milky appearance and the container undamaged

Do not connect in series
Do not infuse without opening the seals and mixing the contents of the 3 compartments

After reconstitution, immediately administer the product

300

OLIMEL N12E Emulsion for Infusion

For central intravenous administration
650 mL of the final mixture provides the following:

| | |
|---------------------------------------|-----------|
| Total calories approx. | 620 kcal |
| Non-protein calories | 420 kcal |
| Nitrogen | 7.8 g |
| Non-protein calories / nitrogen ratio | 53 kcal/g |
| Glucose | 47.7 g |
| Lipids | 22.8 g |
| Glucose / lipid calories ratio | 45/55 |

| | | | |
|------------------------|----------|---------------|--------------|
| Amino acids | 49.4 g | Electrolytes: | |
| Glucose calories | 190 kcal | Sodium | 22.8 mmol |
| Lipid calories | 230 kcal | Potassium | 19.5 mmol |
| Lipid / total calories | 37% | Magnesium | 2.6 mmol |
| | | Calcium | 2.3 mmol |
| | | Phosphate | 9.5 mmol |
| | | Acetate | 46 mmol |
| | | Chloride | 30 mmol |
| | | pH | 6.4 |
| | | Osmolarity | 1,270 mOsm/L |

| | |
|----------------------|------------|
| 650 mL | Per bag |
| Nitrogen g | 7.8 |
| Total kcal | 620 |
| Non-protein calories | 420 |

Formula for 650 mL after mixing:
Refined olive oil + refined soybean oil 22.75 g, Alanine 7.14 g, Arginine 4.84 g, Aspartic acid 1.43 g, Glutamic acid 2.46 g, Glycine 3.42 g, Histidine 2.94 g, Isoleucine 2.46 g, Leucine 3.42 g, Lysine acetate 5.48g (equivalent to Lysine 3.88g), Methionine 2.46 g, Phenylalanine 3.42 g, Proline 2.94 g, Serine 1.95 g, Threonine 2.46 g, Tryptophan 0.82 g, Tyrosine 0.13 g, Valine 3.16 g, Sodium acetate, trihydrate 0.97 g, Sodium glycerophosphate, hydrated 2.39 g, Potassium chloride 1.45 g, Magnesium chloride, hexahydrate 0.53 g, Calcium chloride, dihydrate 0.34 g, Glucose Monohydrate 52.43g (equivalent to Glucose 47.67g)

Excipients: purified egg phospholipids (source: chicken egg yolk), glycerol, sodium oleate, sodium hydroxide, water for injections, glacial acetic acid, hydrochloric acid.


After reconstitution: Emulsion for Infusion 650 mL in a 3-compartment bag
Glucose solution 27.5% : 173 mL
Amino acid solution 14.2% : 347 mL
Lipid emulsion 17.5% : 130 mL

Manufactured by: Baxter SA,
7860 Lessines, Belgium
Product Registration Holder: Baxter Healthcare (Malaysia) Sdn. Bhd., B-21-3A, The Ascent, Paradigm, No.1, Jalan SS7/26A, Kelana Jaya, 47301 PJ, Selangor, Malaysia

MAL22066005AZ

BE-35-04-171

Lot:



Mfg Date:

EXP:

IYDB3WH1C