

	Indication: A bronchodilator with mucolytic expectorant for clearance of viscid purulent sputum in acute and chronic bronchitis and complicating conditions, bronchial asthma, bronchiectasis and whooping cough.	Packing : 120ml B/N: Reg.No : MAL08111761ACZ Code : R013
Each 5ml syrup contains: Bromhexine Hydrochloride 4.0mg Salbutamol Sulphate 2.4mg Preservatives: Methyl Paraben 0.1%w/v Propyl Paraben 0.01%w/v	Recommended Dose: Children below 6 years : 1.25 to 2.5ml Older Children : 2.5ml to 5.0ml Adult: : 5ml To be given 3 to 4 times a day or as directed by the Physician	Product Registration Holder /Distributed by: ZONTRON PHARMACEUTICAL SDN.BHD. (445695-T) Lot 10 & 11, PERDA Industrial Park, Lorong IKS Simpang Ampat B, 14100 Simpang Ampat, S.P.S., Pulau Pinang, Malaysia Manufactured By: TERAPUTICS SDN. BHD. (590500-W) Lot 10 & 11, PERDA Industrial Park, Lorong IKS Simpang Ampat B, 14100 Simpang Ampat, S.P.S., Pulau Pinang, Malaysia

BUTEXINE SYRUP

Each 5ml syrup contains:

Bromhexine Hydrochloride	4.0mg
Salbutamol Sulphate	2.4mg

Preservatives:

Methyl Paraben	0.1%w/v
Propyl Paraben	0.01%w/v

Hologram

ZONTRON

A ZONTRON PHARMACEUTICALS PRODUCT

Indication:
A bronchodilator with mucolytic expectorant for clearance of viscid purulent sputum in acute and chronic bronchitis and complicating conditions, bronchial asthma, bronchiectasis and whooping cough.

Recommended Dose:
Children below 6 years : 1.25 to 2.5ml
Older Children : 2.5ml to 5.0ml
Adult : 5ml
To be given 3 to 4 times a day or as directed by the Physician

Warning & Precautions:
Butexine Syrup may cause severe allergy and serious skin reactions. Stop using Butexine Syrup and seek medical assistance immediately if you experience any of the following symptoms:
1) severe allergy: breathing difficulties, light headedness, skin swellings or rash
2) severe skin reaction: skin reddening, blisters, rash, fever, sore throat or eye irritation

Route of Administration: Oral

Storage :
Store below 30°C, in a dry place, protected from direct light.

Packing : 100ml

Reg.No : MAL08111761ACZ

Code : R013

Product Registration Holder /Distributed by:
ZONTRON PHARMACEUTICAL SDN.BHD.
(445695-T)
Lot 10 & 11, PERDA Industrial Park, Lorong IKS Simpang Ampat B, 14100 Simpang Ampat, S.P.S., Pulau Pinang, Malaysia

Manufactured By:
TERAPUTICS SDN. BHD. (590500-W)
Lot 10 & 11, PERDA Industrial Park, Lorong IKS Simpang Ampat B, 14100 Simpang Ampat, S.P.S., Pulau Pinang, Malaysia

Keep away from reach of children.
Jauhkan daripada kanak- kanak.

SHAKE WELL BEFORE USE

CONTROLLED MEDICINE/UBAT TERKAWAL

B/N:

Mfg:

Exp:

Exp:



Each 5ml syrup contains:

Bromhexine Hydrochloride	4.0mg
Salbutamol Sulphate	2.4mg

Preservatives:

Methyl Paraben	0.1%w/v
Propyl Paraben	0.01%w/v

Hologram

Indication:
A bronchodilator with mucolytic expectorant for clearance of viscid purulent sputum in acute and chronic bronchitis and complicating conditions, bronchial asthma, bronchiectasis and whooping cough.

Recommended Dose:
Children below 6 years : 1.25 to 2.5ml
Older Children : 2.5ml to 5.0ml
Adult: : 5ml
To be given 3 to 4 times a day or as directed by the Physician

Warning & Precautions:
Butexine Syrup may cause severe allergy and serious skin reactions. Stop using Butexine Syrup and seek medical assistance immediately if you experience any of the following symptoms:
1) severe allergy: breathing difficulties, light headedness, skin swellings or rash
2) severe skin reaction: skin reddening, blisters, rash, fever, sore throat or eye irritation

Route of Administration: Oral

Storage :
Store below 30°C, in a dry place, protected from direct light.

Packing : 60ml

Reg.No : MAL08111761ACZ

Code : R013

Product Registration Holder /Distributed by:
ZONTRON PHARMACEUTICAL SDN.BHD.
(445695-T)
Lot 10 & 11, PERDA Industrial Park, Lorong IKS Simpang Ampat B, 14100 Simpang Ampat, S.P.S., Pulau Pinang, Malaysia

Manufactured By:
TERAPUTICS SDN. BHD. (590500-W)
Lot 10 & 11, PERDA Industrial Park, Lorong IKS Simpang Ampat B, 14100 Simpang Ampat, S.P.S., Pulau Pinang, Malaysia

Keep away from reach of children.
Jauhkan daripada kanak- kanak.

SHAKE WELL BEFORE USE

CONTROLLED MEDICINE/UBAT TERKAWAL