

Artwork Document Information		Artwork Type [ Please Tick / ]		Sign / Stamp					
Product : L-TRENLIN 400MG SR 90'S (LOCAL) SAP No. : Date : 24 February 2025		<input type="checkbox"/> Unit Box <input type="checkbox"/> Leaflet <input type="checkbox"/> Aluminium Foil <input type="checkbox"/> Generic Box <input type="checkbox"/> Outer Box <input type="checkbox"/> Fix-A-Form <input type="checkbox"/> Sachet <input checked="" type="checkbox"/> Label <input type="checkbox"/> Shipper Carton <input type="checkbox"/> Others : _____							
Document Category [ Please Tick / ]			Pharmacode / QR Code / Others Info						
<input checked="" type="checkbox"/> RA/NPRA Artwork <input type="checkbox"/> Recirculation Artwork <input type="checkbox"/> Approval Copy Artwork <input type="checkbox"/> Clean Copy <input type="checkbox"/> Internal Artwork Circulation <input type="checkbox"/> Previous Approved Artwork <input type="checkbox"/> Draft Artwork <input type="checkbox"/> Others : _____									
Remarks		Colour							
1. Similar artwork is applicable to all pack sizes 2. All pack sizes(s) stated may not be available locally 3. Dimension: 113mm(W) x 59mm(H) 4. Smallest Font: 4pt (DUOPHARMA MANUFACTURING (BANGI) SDN. BHD.) 5. Batch No, mfg. date and expiry date will be inkjet printed on the label. 6. Statement 'KKM/Kontrak KKM/Kementerian Kesihatan Malaysia/Tender KKM' will be inkjet/printed/stickered for tender items when granted.		<table border="1"> <tr> <td>Pantone 185 C</td> <td>Pantone 2035 C</td> </tr> <tr> <td>Black</td> <td></td> </tr> </table> <p>Colours shown on this proof are to indicate correct colour separations.</p>				Pantone 185 C	Pantone 2035 C	Black	
Pantone 185 C	Pantone 2035 C								
Black									

**Indication:**  
Pentoxifylline is used in the treatment of peripheral occlusive arterial disease and arteriovenous disorders (e.g. intermittent claudication or rest pain ) and trophic disturbances ( e.g. gangrene and leg ulcers). It is also used in cerebrovascular disorders (sequel to cerebral arteriosclerosis such as difficulties in concentration, vertigo, impairment of memory)

**Dosage:**  
Usual dose is one tablet two or three times daily with meals and swallow whole with some liquid. Impaired renal function creatinine clearance below 10ml/min. may be necessary to reduce the dose to 800mg or 400mg daily.  
Keep out of reach of children.  
*Jauhi daripada kanak-kanak*

Lot :                      Mfg :                      Exp :

# Trenlin™

400

## S. R. Tablet

Each tablet contains  
400mg pentoxifylline.

90 Tablets

CONTROLLED MEDICINE

Route of administration: Oral  
Refer enclosed package insert for Contraindication / Precautions and Warnings.  
Keep container tightly closed.  
Store in a dry place below 25°C.

MAL05032541AZ    SIN 10727P    BRU09090324P  
150001XXXXXX

Product Registrar: **Duopharma Manufacturing (Bangi) Sdn. Bhd.**  
 Lot No. 2, 8 & 10, Jalan P7, Seccion 13, Bangi Industrial Estate,  
 43650 Bandar Baru Bangi, Selangor, Malaysia.  
 Manufactured By: **Duopharma Manufacturing (Bangi) Sdn. Bhd.**  
 Lot No. 2 & 4, Jalan P7, Seccion 13, Bangi Industrial Estate,  
 43650 Bandar Baru Bangi, Selangor, Malaysia.

Lot :  
Mfg :  
Exp :  
Blank area for Lot, Mfg & Exp