BEAZYME Tablet

PAPAIN 150,000 USP UNIT

DESCRIPTION

A 8mm diameter,round,flat,marked with "BZYM" and scored on one side,plain on the other side,light blue tablet.

INDICATIONS

Beazyme acts as an anti-inflammatory enzyme for use in conjunction with physical and/or chemotherapeutic measures for treatment or prevention of oedema and inflammatory conditions.

CONTRAINDICATIONS

Concomitant use with anti-coagulants, or in patients with generalised or systemic infections or with disorders of blood coagulation.

PRECAUTIONS

Safe use of this drug in pregnancy has not been established.

DOSAGE

Two tablets to be chewed or sucked 4 times daily for the first day, followed by one tablet 4 times daily for at least 5 days.

STORAGE CONDITIONS

Store in dry place below 30°C. Protect from light.
Keep out of reach of children.
Jauhi daripada kanak-kanak.

Shelf life: Please refer to outer package.

PACKING/PACK SIZES

50 x 10's, 2 x 10's (Aluminium strips) 10 x 10's, 50 x 10's & 100 x 10's (Blister) Not all pack sizes are available locally.

Route of administration: Oral.

Product Registration Holder:

Duopharma Manufacturing (Bangi)

Sdn. Bhd.Lot No. 2, 4, 6, 8 & 10, Jalan P/7, Section 13,

Bangi Industrial Estate, 43650 Bandar Baru Bangi, Selangor, Malaysia.

Manufacturer:

Duopharma Manufacturing (Bangi) Sdn. Bhd.

Lot No. 2 & 4 Jalan P/7, Section 13, Bangi Industrial Estate, 43650 Bandar Baru Bangi, Selangor, Malaysia.



1500008647 N.1 Revision Date: August 2019

149mm (h) x 140mm(w)



Black 100%