

17mm

60mm

55mm

55mm

15mm

140mm

60mm

140mm

60mm



10 vials
500mg
Powder for Solution for Infusion

Zithrolide
pharmaniaga[®]
Azithromycin 500mg

CONTROLLED MEDICINE

Each vial contains:
Azithromycin dihydrate 524.03 mg equivalent
to 500.0 mg of azithromycin base.

Route of administration:
Parenteral (Intravenous infusion only)

The reconstitution solution will remain stable within 24 hours
at below 30°C and 7 days at 2°C to 8°C after diluted with
respective infusion solution as below:

- Normal Saline (0.9% sodium chloride)
- 0.9% Normal Saline (0.45% sodium chloride)
- 5% Dextrose in Water
- Lactated Ringer's Solution
- 5% Dextrose in 0.45% Sodium Chloride

See enclosed package insert for recommended dosage,
contraindications and precautions.

**! NOT FOR BOLUS OR
IM INJECTION.**

Store below 30°C.

Do not freeze.
Retain in carton until time of use.

Scan here for Package Insert:



Keep out of reach of children.
Jauhi dari kanak-kanak.

Batch No. :

Mfg. Date :

Exp. Date :

MAL21018006AZ
2002229-V

Product Registration Holder/Manufacturer:
PHARMANIAGA LIFESCIENCE SDN BHD
(198201002938)
Lot 7, Jalan PPU 3, Taman Perindustrian
Puchong Utama, 47100 Puchong,
Selangor Darul Ehsan, Malaysia.

Distributor:
PHARMANIAGA LOGISTICS SDN BHD
(199301006053)
No. 7, Lorong Keluli 1B, Kawasan
Perindustrian Bukit Raja Selatan,
Seksyen 7, 40000 Shah Alam,
Selangor Darul Ehsan, Malaysia.

pharmaniaga[®]
Zithrolide
Azithromycin 500mg
500mg
Powder for Solution for Infusion
10 vials

pharmaniaga[®]
Zithrolide
Azithromycin 500mg

17mm

60mm

55mm

55mm

15mm

140mm

60mm

140mm

60mm



10 vials

Azithromycin 500mg

Zithrolide

pharmaniaga®

CONTROLLED MEDICINE

Each vial contains:
Azithromycin dihydrate 524.03 mg equivalent
to 500.0 mg of azithromycin base.

Route of administration:
Parenteral (intravenous infusion only)

The reconstitution solution will remain stable within 24 hours
at below 30°C and 7 days at 2°C to 8°C after diluted with
respective infusion solution as below:

- Normal Saline (0.9% sodium chloride)
- 1/2 Normal Saline (0.45% sodium chloride)
- 5% Dextrose in Water
- Lactated Ringer's Solution
- 5% Dextrose in 0.45% Sodium Chloride

See enclosed package insert for recommended dosage,
contraindications and precautions.

NOT FOR BOLUS OR IM INJECTION.

Store below 30°C.

Do not freeze.
Retain in carton until time of use.

Scan here for Package Insert:



Keep out of reach of children.
Jauhi dari kanak-kanak.

Batch No. :

Mfg. Date :

Exp. Date :

MAL21016006AZ
2002228-V

KONTRAK KERAJAAN

Product Registration Holder/Manufacturer:
PHARMANIAGA LIFESCIENCE SDN BHD
(198201002938)
Lot 7, Jalan PPU 3, Taman Perindustrian
Puchong Utama.47100 Puchong,
Selangor Darul Ehsan, Malaysia.

Distributor:
PHARMANIAGA LOGISTICS SDN BHD
(199301006053)
No. 7, Lorong Keluli 1B, Kawasan
Perindustrian Bukit Raja Selatan,
Seksyen 7, 40000 Shah Alam,
Selangor Darul Ehsan, Malaysia.

pharmaniaga®

Zithrolide

Azithromycin 500mg

500mg

Powder for Solution for Infusion

10 vials

pharmaniaga®

Zithrolide

Azithromycin 500mg