



5 x 20mL Vial
CONTROLLED MEDICINE
FOR IV INFUSION USE ONLY
MUST BE DILUTED PRIOR TO USE

DOBUTAMINE 12.5mg/mL
Concentrate for Solution for Infusion

For Single Use Only

pharmaniaga®

DOBUTAMINE 12.5mg/mL
Concentrate for Solution for Infusion

5 x 20mL Vial

CONTROLLED MEDICINE

FOR IV INFUSION USE ONLY

MUST BE DILUTED PRIOR TO USE

Scan here for Package Insert:



For Single Use Only

Each 20mL contains:
Dobutamine Hydrochloride 280.20mg is equivalent to Dobutamine 250.00mg, Sodium metabisulphate 4.40mg, Hydrochloric acid q.s., Sodium Hydroxide q.s. and Water for Injection q.s. to 20mL.

Please refer to package insert for warning on sodium metabisulphite.

See enclosed package insert for recommended dosage, shelf life and storage, contraindications and precautions.

Do not use if solution contain growth, particles, turbidity or if there is any change of appearance.

The injection is compatible with the following Intravenous (IV) solutions with concentration of 5 mg/mL:

- 0.9% Sodium Chloride
- 5% Dextrose
- 10% Dextrose
- 0.9% Sodium Chloride and Dextrose 5% (NSD5)
- Lactated Ringer's

The solution will remain stable for 24 hours at room temperature (below 30°C) after diluted with the compatible solutions.

Once opened discard any unused portion.
Store below 30°C. Protect from light. Do not freeze.
Retain in carton till time of use.
Keep out of reach of children.
Jauhi dari kanak-kanak.

pharmaniaga®

DOBUTAMINE 12.5mg/mL
Concentrate for Solution for Infusion

5 x 20mL Vial

CONTROLLED MEDICINE

FOR IV INFUSION USE ONLY

MUST BE DILUTED PRIOR TO USE



For Single Use Only

KONTRAK KERAJAAN

Product Registration Holder / Manufacturer:
Pharmaniaga LifeScience Sdn. Bhd.

(198201002939)

Lot 7, Jalan PPU 3,
Taman Perindustrian Puchong Utama,
47100 Puchong,
Selangor Darul Ehsan, Malaysia.

Distributor:

Pharmaniaga Logistics Sdn. Bhd.

(199301006053)

No. 7, Lorong Keluli 1B,
Kawasan Perindustrian Bukit Raja Selatan,
Seksyen 7, 40000 Shah Alam,
Selangor Darul Ehsan, Malaysia.

MAL21106020AZ
2002035-T

Batch No :

Mfg Date :

Exp Date :

5 x 20mL Vial

DOBUTAMINE 12.5mg/mL

pharmas **niaga**[®]

pharmaniaga®

For Single Use Only

DOBUTAMINE 12.5mg/mL

Concentrate for Solution for Infusion

5 x 20mL Vial

CONTROLLED MEDICINE

FOR IV INFUSION USE ONLY

MUST BE DILUTED PRIOR TO USE

Scan here for Package Insert:



Each 20mL contains:

Dobutamine Hydrochloride 280.20mg is equivalent to Dobutamine 250.00mg, Sodium metabisulphate 4.40mg, Hydrochloric acid q.s., Sodium Hydroxide q.s. and Water for Injection q.s. to 20mL.

Please refer to package insert for warning on sodium metabisulphite.

See enclosed package insert for recommended dosage, shelf life and storage, contraindications and precautions.

Do not use if solution contain growth, particles, turbidity or if there is any change of appearance.

The injection is compatible with the following Intravenous (IV) solutions with concentration of 5 mg/mL:

- 0.9% Sodium Chloride
- 5% Dextrose
- 10% Dextrose
- 0.9% Sodium Chloride and Dextrose 5% (NSDS)
- Lactated Ringer's

The solution will remain stable for 24 hours at room temperature (below 30°C) after diluted with the compatible solutions.

Once opened discard any unused portion.
Store below 30°C. Protect from light. Do not freeze.
Retain in carton till time of use.
Keep out of reach of children.
Jauhi dari kanak-kanak.

pharmaniaga®

For Single Use Only

DOBUTAMINE 12.5mg/mL

Concentrate for Solution for Infusion

5 x 20mL Vial

CONTROLLED MEDICINE

FOR IV INFUSION USE ONLY

MUST BE DILUTED PRIOR TO USE

Product Registration Holder / Manufacturer
Pharmaniaga LifeScience Sdn. Bhd.

(198201002939)
Lot 7, Jalan PPU 3,
Taman Perindustrian Puchong Utama
47100 Puchong,
Selangor Darul Ehsan, Malaysia.

Distributor:

Pharmaniaga Logistics Sdn. Bhd.

(199301006053)
No. 7, Lorong Keluli 1B,
Kawasan Perindustrian Bukit Raja Selatan,
Seksyen 7, 40000 Shah Alam,
Selangor Darul Ehsan, Malaysia.

MAI 21106020A7

2002035-V

Batch No.:

Mfg Date :

Exp Date :