



		Date of Issue	Page Count		1 of 1	
Date / Time of Creation	05/11/25 12:00	#TrackWise / GLAMS ID	3938898	Client Market	Malaysia	
Vendor Job No.	NA	New Affiliate Item Code	3938898	Software / Ver. No.	Adobe Illustrator 2025	
Artwork Proof No.	3	Superseded Aff. Item Code	NA	Product Description	CT XAGULANT 2.5MG TABS 3X10'S MY	
Pharma Code	NA	Barcode Information	8904093833526	New Material Code	75110539	
Product Render ID No.	NA	MA Number	MAL25116020ARZ	Actual Artwork Size	104 x 68 x 24 mm	
Main Font Type - 1	Helvetica Neue LT Pro	SAP or SPC Code	400582087	Other Sizes (If any)	NA	
Main Font Type - 2	NA	Packaging Site	Mylan Laboratories Ltd. (Chh. Sambhajinagar - IN)	Pitch After Every	NA	
Min. Font Size	6 pt	Mfg. Lic. No. / Code No.	AD/089	Eye / Sensor Mark	NA	
Reason for Revision / Issuance	New Component		Printed Colors CMYK / Pantone Color Bridge Coated	BLACK	116 C	
			Non Printed Colors	Keyline	Unvarnished Area	
Artwork Implementation Schedule, (✓) whichever is applicable	New Component		Equivalent with CMYK (Pantone Ref. Codes)	NA		
	Immediately (Stock of superseded component to be destroyed, if applicable)		Material of Construction	270 gsm ITC Cyber XL Board with Spot Aqueous Varnish		
	After Consumption of Existing (Superseded) Stock			Design & Style	Supply in Side open Reverse Tuck-In	
	As per Implementation Deadline:					
Others (Specify)						
LABEL CONTROL / BUSINESS DEVELOPMENT / REGULATORY / MARKETING			Prepared By	Checked By	Approved By	
Sign Offs	Packaging Technical Services			Production	Regulatory Affairs	Quality Assurance
	Digital Signature	Digital Signature	Digital Signature	Digital Signature	Digital Signature	Digital Signature
Revision History	25/09/25-New Component		Date / Remarks	Date / Remarks	Date / Remarks	
	Date / Remarks		Date / Remarks	Date / Remarks	Date / Remarks	
	Date / Remarks		Date / Remarks	Date / Remarks	Date / Remarks	
	Date / Remarks		Date / Remarks	Date / Remarks	Date / Remarks	
			Format No.:		SOP-000485364_FORM-000525810_Version-7.0	

*Note: This artwork is electronically signed through TrackWise/GLAMS, hence wet ink/digital signatures are not done/required.