

<b>MUCO-AID</b> <b>LIQUID / LIQUID</b> ~ 8 g <span style="border: 1px solid red; padding: 2px;">Controlled Medicine</span>		Lot: Mfg: Exp:
<b>CONTAINS:</b> Lignocaine HCl ..... 2.5% w/v Triamcinolone Acetonide ..... 0.1% w/v Chlorhexidine HCl ..... 0.5% w/v		Route of Administration: For External Use. Keep medicine out of reach of children. Jauhkan daripada capaian anak-anak. Please refer enclosed leaflet for indications, Recommended Dosage, Side Effect, Precautions / Warnings, Contraindications and other information.
Mucro-Aid Liquid contains chlorhexidine. Inform your healthcare provider if you have a known allergy to chlorhexidine. Stop using this product and seek immediate medical assistance if you experience rash, itching, swelling, breathing difficulties, tightness of chest or rapid heartbeat.		Please refer enclosed leaflet for indications, Recommended Dosage, Side Effect, Precautions / Warnings, Contraindications and other information.
<b>STORAGE:</b> Store below 30°C in well-closed containers. Protect from light, heat and freezing.		<b>Malaysian Pharmaceutical Regulatory Information:</b> <b>MALAYSIAN PHARMACEUTICAL INDUSTRIES SDN. BHD.</b> (1101323-L) Reg. 24, Labuhyang, Kempong Jawa 2, 11500 Bayan Lepas, Pulau Pinang, Malaysia.
<b>MAL5041940AZ</b>	<b>6135-1-04</b>	