CLEAWOUND ANTISEPTIC SPRAY 1%W/V

Chlorhexidine Gluconate 1%w/v

What is in this leaflet

1. What Cleawound Antiseptic is used for
2. How Cleawound Antiseptic works
3. Before you use Cleawound Antiseptic
4. How to use Cleawound Antiseptic
5. While you are using it
6. Side effects
7. Storage and Disposal of Cleawound Antiseptic
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision
11. Serial Number

What Cleawound Antiseptic is used for

It used as an antiseptic for treatment of skin lesions, cuts, abrasions, infected wounds and burns.

How Cleawound Antiseptic works

It contains chlorhexidine that is effective against a wide range of Gram- negative and Gram-positive vegetative bacteria, yeasts, dermatophyte fungi and lipophilic viruses. It is inactive against bacterial spores except at elevated temperatures.

Before you use Cleawound Antiseptic

- When you must not use it

Do not use it if you are allergic to any ingredients of this Cleawound Antiseptic.

- Before you start to use it

Cleawound Antiseptic 1%w/v contains chlorhexidine. Inform your healthcare provider if you have a known allergy to chlorhexidine.

Stop using this product and seek immediate medical assistance if you experience rash, itching, swelling, breathing difficulties, light headedness or rapid heartbeat.

- Taking other medicines

The cationic nature of the compound results in activity being reduced by soap and anionic compounds as they can form insoluble salts. Anions to be wary of include borates, bicarbonates, carbonates, chlorides, citrates, nitrates, phosphates and sulphates with due attention being paid to the presence of hard water.
Please inform the doctor or pharmacist if taking other medicines.

How to use Cleawound Antiseptic

- How much to use

Clean and dry the affected area. Then spray the solution 3 times a day.

For external use only.

- When to use it

Please follow the advice of the doctor or pharmacist.

- How long to use it

Please follow the advice of the doctor or pharmacist.

- If you forget to use it

Continue to use it as directed by your doctor or on the package label.

- If you use too much (overdose)

Chlorhexidine Gluconate taken orally is poorly absorbed into the blood. Accidental ingestion may require gastric lavage using milk, egg white, gelatine or mild soap. Employ supportive measures as appropriate. Haemolysis has been reported following ingestion or accidental intravenous administration. Haemolysis may necessitate blood transfusion.

While you are using Cleawound Antiseptic

- Things you must do

Inform your doctor or pharmacist of all the medications you are taking.

- Things you must not do

Do not take any new medicines without consulting your doctor.

- Things to be careful of

Ask your health care provider any question you may have about how to use Cleawound Antiseptic.

Side effects

Immune system disorders.
Frequency not known: Hypersensitivity including anaphylactic shock.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers -> Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Cleawound Antiseptic

- Storage

Store below 30ºC. Protect from light. Keep out of reach of children.

- Disposal

Medicines should not be disposed of via wastewater or household waste.

Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

Clear colourless to slight yellowish and odourless solution.

- Ingredients

- Active ingredients
  Chlorhexidine Gluconate Solution

- Inactive ingredients
  Purified Water

- MAL number:

MAL22086032XCZ

Manufacturer

Syarikat Wen Ken Drug Sdn Bhd
24, Jalan Lambak, Taman Johor, 81200
Johor Bahru, Johor, Malaysia.

Product Registration Holder

SBL Healthcare Sdn Bhd
33, Lorong Valdor Jaya 3,
Golden Gateway Perindustrian Valdor,
14200 Sungai Jawi, Pulau Pinang.

Date of revision

04/04/2024

Serial Number

NPRA(R2) 22/066