




Note:
Text enlarged
for readability

To reconstitute: Tap the bottle gently to loosen the dry powder. Add half the required amount of water and shake vigorously with the application of rubber stopper and cap. Slowly add water up to the mark on the bottle (transparent circular raised-ring on body of bottle) and shake well with the application of rubber stopper and cap. When first reconstituted, allow to stand for 5 minutes to ensure full dispersion. Each 5 ml after reconstitution contains amoxicillin 200 mg as Amoxicillin Trihydrate BP and 28.5 mg clavulanic acid as the potassium clavulanate BP. The dry powder should be stored below 30°C in unopened containers in a dry place. Reconstituted suspensions should be stored in a refrigerator (2-8°C) and used within 7 days. Contains aspartame, unsuitable for phenylketonurics. This is a medicine. **KEEP OUT OF REACH OF CHILDREN.** For oral use. Keep the bottle tightly closed. To be used as directed by physician. Not to be used in patients with known hypersensitivity to Penicillin. **Conditions of use: See enclosed leaflet.**

Jauhkan daripada kanak-kanak.
CONTROLLED MEDICINE/UBAT TERKAWAL
Product Registration Holder: Healol Pharmaceuticals
Sdn Bhd, 74-3, Jalan Wangsa Delima 6,
KLSC Wangsa Maju, 53300 Kuala Lumpur.
Manufactured by:
MEDREICH LIMITED
12th Mile Old Madras Road, Virgonagar,
Bengaluru - 560 049, India
BRU20032798P
MAL06061693AZ
Mfg. Lic. No.: SP - 46/76

fleming
Oral Suspension
228.5mg/5mL

amoxicillin 200mg/ 5ml +
clavulanic acid 28.5mg/ 5ml
oral suspension
amoxicilline et acide clavulanique
poudre pour suspension buvable
Twice daily dosing/Deux prises par jour
228.5 mg/5 ml

MEDREICH

70
ml

Pour reconstitution: Appuyez doucement sur la bouteille pour déloger la poudre sèche. Ajoutez la moitié de la quantité d'eau requise et agitez vigoureusement, en appliquant un bouchon en caoutchouc et un capuchon. Ajoutez lentement de l'eau jusqu'à la marque sur le flacon (anneau circulaire transparent sur le corps du flacon) et agitez bien en appliquant le bouchon en caoutchouc et le capuchon. Lors de la première reconstitution, laissez reposer pendant 5 minutes pour assurer une dispersion complète. Chaque mesure de 5 ml de suspension reconstituée contient du clavulanate de potassium Pharm.Brit. correspondant à 28,5 mg d'acide clavulanique et de l'Amoxicilline Trihydratée Pharm.Brit. correspondant à 200 mg d'amoxicilline base. Conserver à l'abri de l'humidité et à une température inférieure à 30°C. **Après reconstitution de la suspension, conserver au réfrigérateur. Bien reboucher le flacon après usage et utiliser dans les 7 jours après reconstitution.** Contient de l'aspartame, non approprié pour les phénylcétonuriques. Réservé à l'usage pédiatrique. Ceci est un médicament. **TENIR HORS DE LA PORTÉE ET DE LA VUE DES ENFANTS.** Voie Orale. Utiliser selon la prescription du médecin. De ne pas être utilisé chez les patients présentant une hypersensibilité connue à la pénicilline.

Mode d'emploi: Voir notice intérieure.
FLEMING est une marque 1222459-V1

Batch No. :
Mfg Date :
Exp Date :

COLOURS:

 **Pantone Red 032 C**

 **Pantone 521 C**

 **Pantone 315 C**

 **Space for Batch Details**
No Varnish Area,
Do not print red dotted line

MEDREICH LIMITED				Title: Art Work Approval Form			
Product	Fleming Suspension - 228.5 mg/5 ml - 70 ml - Label			Specification:	Printed on 80 GSM chromo art paper 20(±10%) adhesive glue and aqueous varnish (supplied in roll form)		
Customer	Healol - Malaysia			Colours:	3 - Pantone 521, 315 C and 032 C		
Reason for Issue	AWR No.: 1000AW2010391 (Old Code: 1218169) a) Artwork revision to remove Medreich PLC name & address. b) Brunei registration number included			Dimensions:	110 x 35 mm		
Related FG Codes	1300460	Pharmacode No.	NA	No. of Folds (only for PIL)	NA	Artwork made to	100%
Item Code	1222459-V1(WA)	Layout No.:	NA				
Verified By	Approved By						
PDC:	PDC:	Regulatory:	QC:	CQA:			