30 ml

KIDIMAC

Azithromycin for Oral Suspension USP 200 mg/5 ml

Healol Malaysia

Shake well before use

To be taken orally

KIDIMAC

30 ml

Azithromycin for Oral Suspension USP 200 mg/5 ml

Banana Flavor

Powder for oral suspension

Healol Malaysia

Shake well before use

To be taken orally

KIDIMAC

Azithromycin for Oral Suspension USP 200 mg/5 ml

Composition :

Each 5 ml of reconstituted suspension contains :

Azithromycin Dihydrate USP
Eq. to Azithromycin 200 mg

Preservatives

Methyl Hydroxybenzoate 0.2 % w/v &
Propyl Hydroxybenzoate 0.02 % w/v.

Dosage :

As directed by the Physician.

Direction For Use :

1. Tap the bottle to loosen the powder.
2. Slowly add boiled and cooled water up to the ring mark on bottle. Do no use tap water for reconstitution.
3. Shake vigorously to mix medicine properly.
4. Add water if necessary of adjust the volume up to the ring mark.
5. Not to be injected.

Storage :

Before reconstitution store below 30°C.
After reconstitution store the suspension at 25°C to 30°C.
Keep taking the medicine until the course is complete.
Reconstituted suspension should be used within 10 days.
Discard the reconstituted suspension if more than 10 days.
Do not freeze.

KIDIMAC

30 ml

Azithromycin for Oral Suspension USP 200 mg/5 ml

Banana Flavor

Powder for oral suspension

Healol Malaysia

Shake well before use

To be taken orally

MAL No. :
Mfg. Lic. No. : 1036
Batch No. :
Mfg. Date :
Exp. Date :

Controlled Medicine / Ubat Terkawal

Jauhi ubat dari kanak-kanak
Keep medicine out of reach of children

WARNING: Unsuitable for phenylketonurics.

Product registration holder:

Healol Pharmaceuticals Sdn Bhd
Healol pharmaceuticals Sdn Bhd
74-3, Jalan Wangsa Delima 6,
KLSC Wangsa Maju,
53300 Kuala Lumpur, Malaysia.

Manufactured by :
ZIM LABORATORIES LIMITED
B-21/22, MIDC Area,
Kalmeshwar, Nagpur,
Maharashtra State, 441501,
India

zim Zest & Innovation in Medicine

Blank space for barcode printing (38x24 mm)