

CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W)

Clotrimazole (1 %w/w)

What is in this leaflet

1. What CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W) is used for
2. How CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W) works
3. Before you use CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W)
4. How to use CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W)
5. While you are using it
6. Side effects
7. Storage and Disposal of CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W)
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of revision
11. Serial number

What is CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W) used for

The active substance is clotrimazole. Clotrimazole belongs to a group of medicines called imidazoles and is an antifungal agent which fights the cause of fungal skin infections.

Clotrimazole is used to treat fungal skin infections such as ringworm, athlete's foot, fungal nappy rash and fungal sweat rash. It is also used to relieve irritation of the vulva (external thrush) or the end of the penis, which may be associated with thrush.

How CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W) works

When Clotrimazole is applied to the infected area of skin it works by destroying the fungus or yeast which has caused the infection.

Before you use CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W)

-When you must not use it

if you (or your baby if treating nappy rash) are allergic to clotrimazole or any of the other ingredients of this medicine

-Before you start to use it

Make sure you (or your baby if treating nappy rash) are NOT allergic to clotrimazole or any of the other ingredients of this medicine

-Taking other medications

Tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without a prescription.

Clotrimazole is not known to interact with any other medicines.

As with other creams, Clotrimazole may reduce the effectiveness of rubber contraceptives, such as condoms or diaphragms.

Consequently, if you are using this cream on the vulva or penis, you should use alternative precautions for at least five days after using this product.

How to use CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W)

-How much to use

Always use this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you. Check with your doctor or pharmacist if you are not sure.

If you purchased this product without a prescription, follow these directions closely.

- Before use, pierce the tube seal by inverting the cap over the end of the tube and press.

- If the feet are infected, they should be washed and dried thoroughly, especially between the toes, before applying the cream.
- Clotrimazole should be applied thinly and evenly to the affected areas, two or three times daily and rubbed in gently.
- A strip of cream (½ cm long) is enough to treat an area of about the size of the hand.
- The duration of the treatment depends upon the type of infection. Use the cream for at least two weeks for candida (thrush) infections or at least one month for other infections.
- If you have athlete's foot, it may help to use an antifungal dusting powder as well. Ask your doctor or pharmacist to recommend one.

-When to use it

Always use this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you. Check with your doctor or pharmacist if you are not sure.

-How long to use it

Do not suddenly stop using Clotrimazole as this may cause the symptoms of the infection to return.

-If you forget to use it

Apply the cream as soon as possible, then continue the rest of your treatment as usual.

-If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have apply too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

Overdose symptoms such as dizziness, nausea or vomiting may occur.

CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W)

Clotrimazole (1 %w/w)

While you are using it

-Things you must do

- Use your medicine exactly as your doctor has told you.
- Tell all the doctors, dentists and pharmacists treating you that you are using CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W).
- Tell your doctor immediately if you become pregnant while using this medication.
- Contact your doctor if your symptoms worsen or they do not improve after 4 weeks of treatment.

-Things you must not do

- Do not stop using the medicine unless advised by your doctor.
- Do not use any new medicines without consulting your doctor or pharmacist.
- Do not give CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W) to anyone else, even if they have the same symptoms or condition as you.

-Things to be careful of

For external use. Do not swallow it.

Side effects

Like all medicines, this medicine can cause side effects, although not everybody gets them.

As with all medicines, some people may be allergic to the cream. If you or your baby are allergic, a reaction will occur soon after you start using it. If you or your baby experience an allergic reaction, stop using Clotrimazole and tell your doctor straight away or contact the Accident and Emergency Department of your nearest hospital. Signs of an allergic reaction may include:

- Rash
- Swallowing or breathing problems

- Swelling of the lips, face, throat or tongue
- Weakness, feeling dizzy or faint
- Nausea

After you apply the cream you might experience:

- Itching, rash, blisters, burning, discomfort, swelling, irritation, redness or peeling of skin. This may mean that you are allergic to the cream.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of CLOTRILIN (CLOTRIMAZOLE CREAM BP 1% W/W)

-Storage

Store below 30°C. Protect from light. Do not freeze.

-Disposal

Do not use this cream after the expiry date which is stated on the carton after EXP. The expiry date refers to the last day of that month.

Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help protect the environment.

Product Description

-What it looks like

Clotrimazole Cream 1% is a smooth white cream and is available in tubes of 15g.

-Ingredients

- Active ingredient(s)
Clotrimazole BP

• Inactive ingredient(s)
Methyl Hydroxy benzoate BP,
Propyl Hydroxy benzoate BP, Cetosteryl Alcohol, Cetomacrogol 1000, Light Liquid Paraffin BP, White Soft Paraffin BP, Phosphoric Acid BP, Sodium Hydroxide BP, Purified Water BP

-MAL number

MAL24096075XZ

Manufacturer

Lincoln Pharmaceuticals Ltd.,
Trimul Estate, Khatraj, Tal-Kalol
382721 Gandhinagar, Gujarat, India.

Product Registration Holder

Healol Pharmaceuticals Sdn. Bhd.
74, 74-1, 74-2, 74-3, Pusat Bandar
Wangsa Maju, Jalan Wangsa Delima 6
(1/27F), Seksyen 5 Wangsa Maju,
53300 Kuala Lumpur, Malaysia.

Date of revision

-11/09/2026

Serial Number

NPRA (R2) 23/232