

MUCOCLEAR SYRUP

Ambroxol Hydrochloride (30mg/5ml)

What is in this leaflet

1. What Mucoclear Syrup is used for
2. How Mucoclear Syrup works
3. Before you use Mucoclear Syrup
4. How to use Mucoclear Syrup
5. While you are using it
6. Side effects
7. Storage and disposal of Mucoclear Syrup
8. Product description
9. Manufacturer and Product Registration Holder
10. Date of revision

What Mucoclear Syrup is used for

It is indicated for lung disease associated with abnormal mucus secretion and impaired mucus movement.

How Mucoclear Syrup works

The active ingredient in this medicine is ambroxol hydrochloride. It enhances mucus movement by reducing thickness and excessive mucus to improve expectoration and ease cough.

Before you use Mucoclear Syrup

- When you must not use it

Do not take this medicine if you are hypersensitive to ambroxol hydrochloride or any of the other ingredients listed at the end of the leaflet.

- Before you start to use it

Tell your doctor before taking this medicine if you are:

- Breastfeeding
- Pregnant

Pregnancy and breastfeeding

You should check with your doctor if you are or think you may be pregnant, planning to become pregnant or if you are breastfeeding.

It is not recommended for pregnant women and nursing mothers unless the expected benefit outweighs any potential risks.

- Taking other medicines

There are a few medicines which may interact with Mucoclear Syrup. It is important to tell your doctor or pharmacist about all the medicines that you are taking, including those obtained without doctor's prescription.

Inform your doctor or pharmacist if you are taking antibiotics such as amoxicillin, cefuroxime, erythromycin and doxycycline.

How to use Mucoclear Syrup

- How much to use

Oral administration

Adults: At beginning start with 2 teaspoonful (10ml) twice daily and then reduce to one teaspoonful (5ml) 3 times daily.

Children above 5 years old: One teaspoonful (5ml) 3 times daily

Children 2-5 years old: Half teaspoonful (2.5ml) 3 times daily.

Children up to 2 years old: Half teaspoonful (2.5ml) 2 times daily.

- When to use it

Use Mucoclear Syrup when needed and according to doctor's prescription.

- How long to use it

It is important to take Mucoclear Syrup for the duration as your doctor prescribes.

- If you forget to use it

Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

While you are using it

- Things you must do

- Take your medicine exactly as your doctor has told you.
- Tell all the doctors, dentists and pharmacists treating you that you are taking Mucoclear Syrup.
- Tell your doctor immediately if you become pregnant while taking this medication.

- Things you must not do

- Do not stop taking the medicine unless advised by your doctor.
- Do not take any new medicines without consulting your doctor.
- Do not give Mucoclear Syrup to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

Be careful when engaging in activities requiring mental alertness such as driving a car or operating machinery until you know how this medicine affects you.

Side effects

Like all medicines, Mucoclear Syrup may cause allergy and skin reactions. Stop using Mucoclear Syrup and seek medical assistance immediately if you experience any of the following symptoms:-

Severe allergy: Breathing difficulties, light headedness, skin swellings.

Severe skin reaction: Skin reddening, blisters, rash, fever, sore throat or eye irritation.

Any other effects such as mild burning sensation in the chest, indigestion, nausea and vomiting may also occur in some people. Please refer to your doctor or pharmacist if you experience any other side effects while taking this medication.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers→ Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and disposal of Mucoclear Syrup

- Storage

Store at or below 30 °C. Protect from light.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

Clear Syrup with cherry flavour.

- Ingredient(s)

- Active Ingredient

- Ambroxol Hydrochloride

- Inactive Ingredients

- Sodium Saccharin
- Propylene Glycol
- Methyl Paraben
- Propyl Paraben
- Cherry Flavour
- Purified Water
- Glycerin
- Liquid Sorbitol

- *MAL number*

MAL20001061X

Manufacturer

Sunward Pharmaceutical Sdn. Bhd.
No. 9,11 & 17, Jalan Kempas 4, Taman
Perindustrian Tampoi Indah, 81200
Johor Bahru, Johor, Malaysia.

Product Registration Holder

Sunward Pharmaceutical Sdn. Bhd.
No. 9,11 & 17, Jalan Kempas 4, Taman
Perindustrian Tampoi Indah, 81200
Johor Bahru, Johor, Malaysia.

Date of revision

12/11/2021

Serial Number:

NPRA(R4/1)131021/00076