

Tetrahydrozoline
Eye Drops

OptizolineTM



004

Composition:

Tetrahydrozoline HCl
0.05%w/v. Benzalkonium
Chloride 0.01%w/v as
preservative.

Dosage and Administration:

Instill 1 to 2 drops into the
affected eye(s) three to
four times a day.

用量：每日滴三至四次，
每次一至兩滴。

Storage:

Store below 30°C.

Refer enclosed leaflet for
further information.



OptizolineTM



Tetrahydrozoline
Eye Drops

Do not use product if
protective seal on the bottle
is found broken. Use with
care to avoid contamination
of the contents. Discard 4
weeks after first opening
of bottle.
開蓋四星期後不可使用。

CONTROLLED MEDICINE
KEEP OUT OF REACH
OF CHILDREN
JAUHI DARI KANAK-KANAK

CODE OP0201/OP0202
MAL 19910022AZ
HK-36160
SIN 6918P
TAN 00, 2426 S01A XEP
NAFDAC 04-9905



9 556492 00272 1



OptizolineTM



Tetrahydrozoline
Eye Drops

FOR EXTERNAL USE ONLY. 只用於外敷。
UNTUK KEGUNAAN LUAR SAHAJA.
கவனம் ஈர்க்கும் மருந்து இது.

Manufacturer and Product Registration Holder

Xepa-Soul Pattinson (M) Sdn Bhd
1-5 Cheng Industrial Estate
75250 Melaka, Malaysia

5ml

STERILE

5ml

STERILE

BATCH

MFG

EXP