

PRISTINEX CREAM 2%

Ketoconazole (2%w/w)

What is in this leaflet

1. What Pristinex Cream is used for
2. How Pristinex Cream works
3. Before you use Pristinex Cream
4. How to use Pristinex Cream
5. While you are using it
6. Side Effects
7. Storage and Disposal of Pristinex Cream
8. Product Description
9. Manufacturer and Product Registration Holder
10. Date of Revision

What Pristinex Cream is used for

To be applied on the skin. For the treatment of:

- Ringworm infection of the arms and legs, foot and in the groin.
- Yeast infection.
- Inflammatory skin conditions such as scaly, flaky, itchy and red skin.

How Pristinex Cream works

Ketoconazole is the antifungal that works by slowing the growth of fungi that cause infection.

Before you use Pristinex Cream

- When you must not to use it

Do not use this medicine if you are allergic to ketoconazole or any other ingredients in this medicine.

- Before you start to use it

Tell your doctor or pharmacist if you:

- are pregnant or breast-feeding.
- are taking other medications at the same time.
- have allergy to ketoconazole or any ingredients in this product.

- Taking other medicines

Tell your doctor if you are taking any other medicines, including any that you buy without a prescription from a pharmacy, supermarket or health food shop.

How to use Pristinex Cream

- How much to use

Ringworm and Yeast infection:
Apply once daily.

Inflammatory skin conditions:
Apply once or twice daily.

Follow all directions given to you by your doctor and pharmacist carefully. They may differ from the information

contained in this leaflet. If you do not understand the instructions on the label, ask your doctor or pharmacist for help.

- When to use it

Use as directed by your doctor or pharmacist.

- How long to use it

Continue taking *Pristinex Cream* for as long as your doctor recommends. Ask your doctor or pharmacist before prolonged use of this medicine.

- If you forget to use it

Consult your doctor or pharmacist on what you should do if you forget to use it. Take the missed dose as soon as you remember. If it is almost time for your next dose, wait until then to take the medicine and skip the missed dose. Do not take a double dose to make up for the missed dose.

- If you use too much (overdose)

Contact your doctor immediately or go to the Emergency Department of your nearest hospital, if you think you or anyone else may have taken too much of this medicine. Do this even if there are no signs of discomfort or poisoning. You may need urgent medical attention.

Excessive application may lead to skin redness, swelling and burning sensation.

While you are using it

- Things you must do

- Always wash your hand before and after using this cream.
- Rub the medicine gently on the affected area.
- Take your medicine exactly as your doctor has told you.
- Tell all the doctors, dentists and pharmacists treating you that you are taking *Pristinex Cream*.
- Tell your doctor immediately if you become pregnant while taking this medication.

- Things you must not do

- This cream is for application on skin only. Do not swallow it.
- Do not stop taking the medicine unless advised by your doctor.
- Do not take any new medicines without consulting your doctor.

- Do not give *Pristinex Cream* to anyone else, even if they have the same symptoms or condition as you.

- Things to be careful of

Tell your doctor or pharmacist if you:

- are allergic to any ingredients in this medicine.
- are taking other medicines at the same time.
- are pregnant or breast-feeding.

Side Effects

Skin irritation and burning sensation.

Like all medicines, *Pristinex Cream* can cause side effects, although not everybody gets them. Visit your doctor or pharmacist immediately if you experience any side effects or allergic reactions after taking this medicine.

You may report any side effects or adverse drug reactions directly to the National Centre for Adverse Drug Reaction Monitoring by visiting the website npra.gov.my [Consumers → Reporting Side Effects to Medicines (ConSERF) or Vaccines (AEFI)].

Storage and Disposal of Pristinex Cream

- Storage

Store below 30 °C.

Keep out of the reach of the children.

Do not use this medicine after expiry date.

- Disposal

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

Product Description

- What it looks like

White, smooth, homogeneous and water miscible cream.

Available in 15g collapsible aluminum tube.

- Ingredients

- Active ingredient(s)
Ketoconazole.

- Inactive ingredients

Purified Water, Cetomacrogol 1000, White Soft Paraffin, Methyl Hydroxybenzoate, Propyl

Hydroxybenzoate, Cetostearyl Alcohol,
Disodium Edetate and Liquid Paraffin.

- MAL number

MAL19984838AZ

Manufacturer and Product Registration

Holder

Xepa-Soul Pattinson (M) Sdn Bhd
1-5 Cheng Industrial Estate,
75250 Melaka, Malaysia.

Date of Revision

24/08/2020

Serial Number

NPRA(R2/1)200818/501