

60ml when reconstituted

# Soficlor<sup>®</sup>

FOR ORAL SUSPENSION

Cefaclor Monohydrate

Equivalent to Cefaclor 125mg / 5ml

**To reconstitute:** Shake to loosen powder. Add water and shake vigorously to disperse powder. Add water to the 60ml mark and shake well.

*Dry powder may be white or slightly yellow solely due to the nature of Cefaclor. The quality and efficacy of the product are not affected.*

SHAKE WELL BEFORE EACH DOSE

Store in a cool dry place below 25°C.

After reconstitution, store in refrigerator and discard any unused portion after 7 days.

Refer to enclosed leaflet for further information.

**Preservative:** Sodium Benzoate 0.030g / 60ml

**CONTROLLED MEDICINE**

KEEP OUT OF REACH OF CHILDREN

JAUHI DARI KANAK-KANAK

FOR ORAL USE ONLY

CODE S00700

MAL 19991143AZ

MM Reg. No. R2005A7633

SIN 11733P

HK-47851

Medico Trading

CAMR 55780P-08

BATCH MFG EXP



Xepa<sup>sp</sup>

Manufacturer and Product Registration Holder

Xepa-Soul Pattinson (Malaysia) Sdn Bhd

1-5 Cheng Industrial Estate, 75250 Melaka, Malaysia